


KEL-DPZ CR multi-membrane cable entry plates, round

for the use in cleanrooms, M25 - M63 / IP66 / IP68 / UL Type 12/4X*



KEL-DPZ CR round cable entry plates are designed to route and seal cables without connectors or fibre optics (from 1.5 mm to 22 mm in diameter) in limited space.

The assembly of the KEL-DPZ CR round with cables or pneumatic hoses can be done quick and easy. Simply make a small hole in the thin membrane, push the cables through. The KEL-DPZ CR round provides strain relief and protection IP66 / IP68 / UL Type 4X*.

The round versions of the KEL-DPZ CR series have a thread to fit in metric cut-outs from M25 to M63. Thus cut-outs for metric cable glands can be used.

The products with article ending .600 are tested and certified for particle emission for cleanroom class 1 according to ISO 14644-1. The materials used for these products have been tested and certified for outgassing according to VOC/SVOC (ISO 14644-8; ISO 16000-6,-9,-11,-25, VDI 2083 sheet 17).

The products with the article ending .601 are tested and certified for particle emission for cleanroom class 1 according to ISO 14644-1.

*4X for indoor use only



Specifications


IP rating (EN 60529)	IP54, IP55, IP64, IP65, IP66, IP67, IP68
UL Type (UL 50E)	UL Type 12, UL Type 4X*
Material	Elastomer Base frame: Polyamide
Flame class	UL94-V0, self-extinguishing
Operating temperature	-40 C° to 100 C°
Properties	silicone free, halogen free
Mounting options	Fasten with locknut

Advantages & benefits


- Fast mounting
- High cable density
- Certified protection IP66/IP68 (acc. to EN 60529)
- Automatic sealing and strain relief for the cable
- Suitable for metric cut-outs
- Hexagonal locknut included in the delivery
- Hygienic design - free of dirt-collecting recesses

Product types & sizes

KEL-DPZ 25|3 CR gy




Part No.	43736.601	Mounting height	8 mm
EAN	4251269328268	External diameter	39 mm
Package quantity	5	Cut-out size, round	25,3 mm
For max. no. of cables	3	Cut-out size, metric	M25
Max. cable diameter	6,5 mm	Thread	M25 x 1,5
Colour	grey (similar RAL 7035)	Thread length	14 mm
Height	22 mm	Clamping range	2 x 3.2 - 5.2 mm 1 x 3.2 - 6.5 mm

**KEL-DPZ 25|3 CR
(S)VOC gy**


Part No. **43736.600**
 EAN **4251269327964**
 Package quantity **5**
 For max. no. of cables **3**
 Max. cable diameter **6,5 mm**
 Colour **grey (similar RAL 7035)**
 Height **22 mm**

Mounting height **8 mm**
 External diameter **39 mm**
 Cut-out size, round **25,3 mm**
 Cut-out size, metric **M25**
 Thread **M25 × 1,5**
 Thread length **14 mm**
 Clamping range **2 x 3.2 - 5.2 mm**
1 x 3.2 - 6.5 mm

KEL-DPZ 25|3 CR bk


Part No. **50736.601**
 EAN **4251269328411**
 Package quantity **5**
 For max. no. of cables **3**
 Max. cable diameter **6,5 mm**
 Colour **black**
 Height **22 mm**

Mounting height **8 mm**
 External diameter **39 mm**
 Cut-out size, round **25,3 mm**
 Cut-out size, metric **M25**
 Thread **M25 × 1,5**
 Thread length **14 mm**
 Clamping range **2 x 3.2 - 5.2 mm**
1 x 3.2 - 6.5 mm

**KEL-DPZ 25|3 CR
(S)VOC bk**


Part No. **50736.600**
 EAN **4251269328114**
 Package quantity **5**
 For max. no. of cables **3**
 Max. cable diameter **6,5 mm**
 Colour **black**
 Height **22 mm**

Mounting height **8 mm**
 External diameter **39 mm**
 Cut-out size, round **25,3 mm**
 Cut-out size, metric **M25**
 Thread **M25 × 1,5**
 Thread length **14 mm**
 Clamping range **2 x 3.2 - 5.2 mm**
1 x 3.2 - 6.5 mm

KEL-DPZ 25|4 CR gy


Part No. **43737.601**
 EAN **4251269328275**
 Package quantity **5**
 For max. no. of cables **4**
 Max. cable diameter **5,2 mm**
 Colour **grey (similar RAL 7035)**
 Height **22 mm**

Mounting height **8 mm**
 External diameter **39 mm**
 Cut-out size, round **25,3 mm**
 Cut-out size, metric **M25**
 Thread **M25 × 1,5**
 Thread length **14 mm**
 Clamping range **4 x 3.2 - 5.2 mm**

**KEL-DPZ 25|4 CR
(S)VOC gy**

Part No. **43737.600**
 EAN **4251269327971**
 Package quantity **5**
 For max. no. of cables **4**
 Max. cable diameter **5,2 mm**
 Colour **grey (similar RAL 7035)**
 Height **22 mm**


Mounting height **8 mm**
 External diameter **39 mm**
 Cut-out size, round **25,3 mm**
 Cut-out size, metric **M25**
 Thread **M25 × 1,5**
 Thread length **14 mm**
 Clamping range **4 x 3.2 - 5.2 mm**

KEL-DPZ 25|4 CR bk

Part No. **50737.601**
 EAN **4251269328428**
 Package quantity **5**
 For max. no. of cables **4**
 Max. cable diameter **5,2 mm**
 Colour **black**
 Height **22 mm**

Mounting height **8 mm**
 External diameter **39 mm**
 Cut-out size, round **25,3 mm**
 Cut-out size, metric **M25**
 Thread **M25 × 1,5**
 Thread length **14 mm**
 Clamping range **4 x 3.2 - 5.2 mm**


KEL-DPZ 25|4 CR
(S)VOC bk



Part No. **50737.600**
EAN **4251269328121**
Package quantity **5**
For max. no. of cables **4**
Max. cable diameter **5,2 mm**
Colour **black**
Height **22 mm**

Mounting height **8 mm**
External diameter **39 mm**
Cut-out size, round **25,3 mm**
Cut-out size, metric **M25**
Thread **M25 × 1,5**
Thread length **14 mm**
Clamping range **4 x 3.2 - 5.2 mm**


KEL-DPZ 32|4 CR gy



Part No. **43732.601**
EAN **4251269328237**
Package quantity **5**
For max. no. of cables **4**
Max. cable diameter **12,5 mm**
Colour **grey (similar RAL 7035)**
Height **22 mm**

Mounting height **8 mm**
External diameter **44 mm**
Cut-out size, round **32,3 mm**
Cut-out size, metric **M32**
Thread **M32 × 1,5**
Thread length **14 mm**
Clamping range **3 x 3.2 - 6.5 mm**
1 x 7.2 - 12.5 mm


KEL-DPZ 32|4 CR
(S)VOC gy



Part No. **43732.600**
EAN **4251269327933**
Package quantity **5**
For max. no. of cables **4**
Max. cable diameter **12,5 mm**
Colour **grey (similar RAL 7035)**
Height **22 mm**

Mounting height **8 mm**
External diameter **44 mm**
Cut-out size, round **32,3 mm**
Cut-out size, metric **M32**
Thread **M32 × 1,5**
Thread length **14 mm**
Clamping range **3 x 3.2 - 6.5 mm**
1 x 7.2 - 12.5 mm


KEL-DPZ 32|4 CR bk



Part No. **50732.601**
EAN **4251269328381**
Package quantity **5**
For max. no. of cables **4**
Max. cable diameter **12,5 mm**
Colour **black**
Height **22 mm**

Mounting height **8 mm**
External diameter **44 mm**
Cut-out size, round **32,3 mm**
Cut-out size, metric **M32**
Thread **M32 × 1,5**
Thread length **14 mm**
Clamping range **3 x 3.2 - 6.5 mm**
1 x 7.2 - 12.5 mm


KEL-DPZ 32|4 CR
(S)VOC bk



Part No. **50732.600**
EAN **4251269328084**
Package quantity **5**
For max. no. of cables **4**
Max. cable diameter **12,5 mm**
Colour **black**
Height **22 mm**


Mounting height **8 mm**
External diameter **44 mm**
Cut-out size, round **32,3 mm**
Cut-out size, metric **M32**
Thread **M32 × 1,5**
Thread length **14 mm**
Clamping range **3 x 3.2 - 6.5 mm**
1 x 7.2 - 12.5 mm

KEL-DPZ 32|4-2 CR gy




Part No. **43733.601**
EAN **4251269328244**
Package quantity **5**
For max. no. of cables **4**
Max. cable diameter **9,5 mm**
Colour **grey (similar RAL 7035)**
Height **22 mm**

Mounting height **8 mm**
External diameter **44 mm**
Cut-out size, round **32,3 mm**
Cut-out size, metric **M32**
Thread **M32 × 1,5**
Thread length **14 mm**
Clamping range **4 x 5 - 9.5 mm**

**KEL-DPZ 32|4-2 CR
(S)VOC gy**


Part No. **43733.600**
 EAN **4251269327940**
 Package quantity **5**
 For max. no. of cables **4**
 Max. cable diameter **9,5 mm**
 Colour **grey (similar RAL 7035)**
 Height **22 mm**

Mounting height **8 mm**
 External diameter **44 mm**
 Cut-out size, round **32,3 mm**
 Cut-out size, metric **M32**
 Thread **M32 × 1,5**
 Thread length **14 mm**
 Clamping range **4 x 5 - 9.5 mm**

KEL-DPZ 32|4-2 CR bk


Part No. **50733.601**
 EAN **4251269328398**
 Package quantity **5**
 For max. no. of cables **4**
 Max. cable diameter **9,5 mm**
 Colour **black**
 Height **22 mm**

Mounting height **8 mm**
 External diameter **44 mm**
 Cut-out size, round **32,3 mm**
 Cut-out size, metric **M32**
 Thread **M32 × 1,5**
 Thread length **14 mm**
 Clamping range **4 x 5 - 9.5 mm**

**KEL-DPZ 32|4-2 CR
(S)VOC bk**


Part No. **50733.600**
 EAN **4251269328091**
 Package quantity **5**
 For max. no. of cables **4**
 Max. cable diameter **9,5 mm**
 Colour **black**
 Height **22 mm**

Mounting height **8 mm**
 External diameter **44 mm**
 Cut-out size, round **32,3 mm**
 Cut-out size, metric **M32**
 Thread **M32 × 1,5**
 Thread length **14 mm**
 Clamping range **4 x 5 - 9.5 mm**

KEL-DPZ 32|7 CR gy


Part No. **43734.601**
 EAN **4251269328251**
 Package quantity **5**
 For max. no. of cables **7**
 Max. cable diameter **6,5 mm**
 Colour **grey (similar RAL 7035)**
 Height **22 mm**

Mounting height **8 mm**
 External diameter **44 mm**
 Cut-out size, round **32,3 mm**
 Cut-out size, metric **M32**
 Thread **M32 × 1,5**
 Thread length **14 mm**
 Clamping range **7 x 3.2 - 6.5 mm**

**KEL-DPZ 32|7 CR
(S)VOC gy**

Part No. **43734.600**
 EAN **4251269327957**
 Package quantity **5**
 For max. no. of cables **7**
 Max. cable diameter **6,5 mm**
 Colour **grey (similar RAL 7035)**
 Height **22 mm**


Mounting height **8 mm**
 External diameter **44 mm**
 Cut-out size, round **32,3 mm**
 Cut-out size, metric **M32**
 Thread **M32 × 1,5**
 Thread length **14 mm**
 Clamping range **7 x 3.2 - 6.5 mm**

KEL-DPZ 32|7 CR bk

Part No. **50734.601**
 EAN **4251269328404**
 Package quantity **5**
 For max. no. of cables **7**
 Max. cable diameter **6,5 mm**
 Colour **black**
 Height **22 mm**

Mounting height **8 mm**
 External diameter **44 mm**
 Cut-out size, round **32,3 mm**
 Cut-out size, metric **M32**
 Thread **M32 × 1,5**
 Thread length **14 mm**
 Clamping range **7 x 3.2 - 6.5 mm**


**KEL-DPZ 32|7 CR
(S)VOC bk**



Part No. **50734.600**
EAN **4251269328107**
Package quantity **5**
For max. no. of cables **7**
Max. cable diameter **6,5 mm**
Colour **black**
Height **22 mm**

Mounting height **8 mm**
External diameter **44 mm**
Cut-out size, round **32,3 mm**
Cut-out size, metric **M32**
Thread **M32 × 1,5**
Thread length **14 mm**
Clamping range **7 x 3.2 - 6.5 mm**


KEL-DPZ 40|8 CR gy



Part No. **43741.601**
EAN **4251269328282**
Package quantity **5**
For max. no. of cables **8**
Max. cable diameter **10,2 mm**
Colour **grey (similar RAL 7035)**
Height **22 mm**

Mounting height **8 mm**
External diameter **52 mm**
Cut-out size, round **40,4 mm**
Cut-out size, metric **M40**
Thread **M40 × 1,5**
Thread length **14 mm**
Clamping range **4 x 3.2 - 6.5 mm**
4 x 5 - 10.2 mm


**KEL-DPZ 40|8 CR
(S)VOC gy**



Part No. **43741.600**
EAN **4251269327988**
Package quantity **5**
For max. no. of cables **8**
Max. cable diameter **10,2 mm**
Colour **grey (similar RAL 7035)**
Height **22 mm**

Mounting height **8 mm**
External diameter **52 mm**
Cut-out size, round **40,4 mm**
Cut-out size, metric **M40**
Thread **M40 × 1,5**
Thread length **14 mm**
Clamping range **4 x 3.2 - 6.5 mm**
4 x 5 - 10.2 mm


KEL-DPZ 40|8 CR bk



Part No. **50741.601**
EAN **4251269328435**
Package quantity **5**
For max. no. of cables **8**
Max. cable diameter **10,2 mm**
Colour **black**
Height **22 mm**

Mounting height **8 mm**
External diameter **52 mm**
Cut-out size, round **40,4 mm**
Cut-out size, metric **M40**
Thread **M40 × 1,5**
Thread length **14 mm**
Clamping range **4 x 3.2 - 6.5 mm**
4 x 5 - 10.2 mm


**KEL-DPZ 40|8 CR
(S)VOC bk**



Part No. **50741.600**
EAN **4251269328138**
Package quantity **5**
For max. no. of cables **8**
Max. cable diameter **10,2 mm**
Colour **black**
Height **22 mm**


Mounting height **8 mm**
External diameter **52 mm**
Cut-out size, round **40,4 mm**
Cut-out size, metric **M40**
Thread **M40 × 1,5**
Thread length **14 mm**
Clamping range **4 x 3.2 - 6.5 mm**
4 x 5 - 10.2 mm

KEL-DPZ 50|8 CR gy




Part No. **43750.601**
EAN **4251269328299**
Package quantity **5**
For max. no. of cables **8**
Max. cable diameter **12,5 mm**
Colour **grey (similar RAL 7035)**
Height **22 mm**

Mounting height **8 mm**
External diameter **62 mm**
Cut-out size, round **50,4 mm**
Cut-out size, metric **M50**
Thread **M50 × 1,5**
Thread length **14 mm**
Clamping range **5 x 5 - 10.2 mm**
3 x 7.2 - 12.5 mm

**KEL-DPZ 50|8 CR
(S)VOC gy**


Part No. **43750.600**
 EAN **4251269327995**
 Package quantity **5**
 For max. no. of cables **8**
 Max. cable diameter **12,5 mm**
 Colour **grey (similar RAL 7035)**
 Height **22 mm**

Mounting height **8 mm**
 External diameter **62 mm**
 Cut-out size, round **50,4 mm**
 Cut-out size, metric **M50**
 Thread **M50 × 1,5**
 Thread length **14 mm**
 Clamping range **5 x 5 - 10.2 mm**
3 x 7.2 - 12.5 mm

KEL-DPZ 50|8 CR bk


Part No. **50750.601**
 EAN **4251269328442**
 Package quantity **5**
 For max. no. of cables **8**
 Max. cable diameter **12,5 mm**
 Colour **black**
 Height **22 mm**

Mounting height **8 mm**
 External diameter **62 mm**
 Cut-out size, round **50,4 mm**
 Cut-out size, metric **M50**
 Thread **M50 × 1,5**
 Thread length **14 mm**
 Clamping range **5 x 5 - 10.2 mm**
3 x 7.2 - 12.5 mm

KEL-DPZ 50|8 bk


Part No. **50750.600**
 EAN **4251269328145**
 Package quantity **5**
 For max. no. of cables **8**
 Max. cable diameter **12,5 mm**
 Colour **black**
 Height **22 mm**

Mounting height **8 mm**
 External diameter **62 mm**
 Cut-out size, round **50,4 mm**
 Cut-out size, metric **M50**
 Thread **M50 × 1,5**
 Thread length **14 mm**
 Clamping range **5 x 5 - 10.2 mm**
3 x 7.2 - 12.5 mm

**KEL-DPZ 50|10 CR
(S)VOC gy**


Part No. **43751.600**
 EAN **4251269328008**
 Package quantity **5**
 For max. no. of cables **10**
 Max. cable diameter **22,2 mm**
 Colour **grey (similar RAL 7035)**
 Height **22 mm**

Mounting height **8 mm**
 External diameter **62 mm**
 Cut-out size, round **50,4 mm**
 Cut-out size, metric **M50**
 Thread **M50 × 1,5**
 Thread length **14 mm**
 Clamping range **7 x 3.2 - 6.5 mm**
2 x 5 - 10.2 mm
1 x 16 - 22.2 mm

KEL-DPZ 50|10 CR gy


Part No. **43751.601**
 EAN **4251269328305**
 Package quantity **5**
 For max. no. of cables **10**
 Max. cable diameter **22,2 mm**
 Colour **grey (similar RAL 7035)**
 Height **22 mm**

Mounting height **8 mm**
 External diameter **62 mm**
 Cut-out size, round **50,4 mm**
 Cut-out size, metric **M50**
 Thread **M50 × 1,5**
 Thread length **14 mm**
 Clamping range **7 x 3.2 - 6.5 mm**
2 x 5 - 10.2 mm
1 x 16 - 22.2 mm

**KEL-DPZ 50|10 CR
(S)VOC bk**

Part No. **50751.600**
 EAN **4251269328152**
 Package quantity **5**
 For max. no. of cables **10**
 Max. cable diameter **22,2 mm**
 Colour **black**
 Height **22 mm**

Mounting height **8 mm**
 External diameter **62 mm**
 Cut-out size, round **50,4 mm**
 Cut-out size, metric **M50**
 Thread **M50 × 1,5**
 Thread length **14 mm**
 Clamping range **7 x 3.2 - 6.5 mm**
2 x 5 - 10.2 mm
1 x 16 - 22.2 mm


KEL-DPZ 50|10 CR bk

Part No.
EAN
Package quantity
For max. no. of cables
Max. cable diameter
Colour
Height

50751.601
4251269328459
5
10
22,2 mm
black
22 mm

Mounting height
External diameter
Cut-out size, round
Cut-out size, metric
Thread
Thread length
Clamping range

8 mm
62 mm
50,4 mm
M50
M50 × 1,5
14 mm
7 x 3.2 - 6.5 mm
2 x 5 - 10.2 mm
1 x 16 - 22.2 mm


KEL-DPZ 50|12 CR gy

Part No.
EAN
Package quantity
For max. no. of cables
Max. cable diameter
Colour
Height

43752.601
4251269328312
5
12
10,2 mm
grey (similar RAL 7035)
22 mm

Mounting height
External diameter
Cut-out size, round
Cut-out size, metric
Thread
Thread length
Clamping range

8 mm
62 mm
50,4 mm
M50
M50 × 1,5
14 mm
4 x 3.2 - 6.5 mm
8 x 5 - 10.2 mm


KEL-DPZ 50|12 CR (S)VOC gy

Part No.
EAN
Package quantity
For max. no. of cables
Max. cable diameter
Colour
Height

43752.600
4251269328015
5
12
10,2 mm
grey (similar RAL 7035)
22 mm

Mounting height
External diameter
Cut-out size, round
Cut-out size, metric
Thread
Thread length
Clamping range

8 mm
62 mm
50,4 mm
M50
M50 × 1,5
14 mm
4 x 3.2 - 6.5 mm
8 x 5 - 10.2 mm


KEL-DPZ 50|12 CR (S)VOC bk

Part No.
EAN
Package quantity
For max. no. of cables
Max. cable diameter
Colour
Height

50752.600
4251269328169
5
12
10,2 mm
black
22 mm

Mounting height
External diameter
Cut-out size, round
Cut-out size, metric
Thread
Thread length
Clamping range

8 mm
62 mm
50,4 mm
M50
M50 × 1,5
14 mm
4 x 3.2 - 6.5 mm


KEL-DPZ 50|12 CR bk

Part No.
EAN
Package quantity
For max. no. of cables
Max. cable diameter
Colour
Height

50752.601
4251269328466
5
12
10,2 mm
black
22 mm

Mounting height
External diameter
Cut-out size, round
Cut-out size, metric
Thread
Thread length
Clamping range

8 mm
62 mm
50,4 mm
M50
M50 × 1,5
14 mm
4 x 3.2 - 6.5 mm


KEL-DPZ 50|19 CR (S)VOC gy

Part No.
EAN
Package quantity
For max. no. of cables
Max. cable diameter
Colour
Height

43758.600
4251269328039
5
19
6,5 mm
grey (similar RAL 7035)
22 mm


Mounting height
External diameter
Cut-out size, round
Cut-out size, metric
Thread
Thread length
Clamping range

8 mm
62 mm
50,4 mm
M50
M50 × 1,5
14 mm
19 x 3.2 - 6.5 mm

KEL-DPZ 50|19 CR gy


Part No. **43758.601**
 EAN **4251269328336**
 Package quantity **5**
 For max. no. of cables **19**
 Max. cable diameter **6,5 mm**
 Colour **grey (similar RAL 7035)**
 Height **22 mm**

Mounting height **8 mm**
 External diameter **62 mm**
 Cut-out size, round **50,4 mm**
 Cut-out size, metric **M50**
 Thread **M50 x 1,5**
 Thread length **14 mm**
 Clamping range **19 x 3.2 - 6.5 mm**

KEL-DPZ 50|19 CR (S)VOC bk


Part No. **50758.600**
 EAN **4251269328183**
 Package quantity **5**
 For max. no. of cables **19**
 Max. cable diameter **6,5 mm**
 Colour **black**
 Height **22 mm**

Mounting height **8 mm**
 External diameter **62 mm**
 Cut-out size, round **50,4 mm**
 Cut-out size, metric **M50**
 Thread **M50 x 1,5**
 Thread length **14 mm**
 Clamping range **19 x 3.2 - 6.5 mm**

KEL-DPZ 50|19 CR bk


Part No. **50758.601**
 EAN **4251269328480**
 Package quantity **5**
 For max. no. of cables **19**
 Max. cable diameter **6,5 mm**
 Colour **black**
 Height **22 mm**

Mounting height **8 mm**
 External diameter **62 mm**
 Cut-out size, round **50,4 mm**
 Cut-out size, metric **M50**
 Thread **M50 x 1,5**
 Thread length **14 mm**
 Clamping range **19 x 3.2 - 6.5 mm**

KEL-DPZ 50|78 CR gy


Part No. **43756.601**
 EAN **4251269328329**
 Package quantity **5**
 For max. no. of cables **78**
 Max. cable diameter **5 mm**
 Colour **grey (similar RAL 7035)**
 Height **22 mm**

Mounting height **8 mm**
 External diameter **62 mm**
 Cut-out size, round **50,4 mm**
 Cut-out size, metric **M50**
 Thread **M50 x 1,5**
 Thread length **14 mm**
 Clamping range **76 x 1.5 - 2.6 mm**
2 x 2.5 - 5 mm

KEL-DPZ 50|78 CR (S)VOC gy


Part No. **43756.600**
 EAN **4251269328022**
 Package quantity **5**
 For max. no. of cables **78**
 Max. cable diameter **5 mm**
 Colour **grey (similar RAL 7035)**
 Height **22 mm**

Mounting height **8 mm**
 External diameter **62 mm**
 Cut-out size, round **50,4 mm**
 Cut-out size, metric **M50**
 Thread **M50 x 1,5**
 Thread length **14 mm**
 Clamping range **76 x 1.5 - 2.6 mm**
2 x 2.5 - 5 mm

KEL-DPZ 50|78 CR bk


Part No. **50756.601**
 EAN **4251269328473**
 Package quantity **5**
 For max. no. of cables **78**
 Max. cable diameter **5 mm**
 Colour **black**
 Height **22 mm**

Mounting height **8 mm**
 External diameter **62 mm**
 Cut-out size, round **50,4 mm**
 Cut-out size, metric **M50**
 Thread **M50 x 1,5**
 Thread length **14 mm**
 Clamping range **76 x 1.5 - 2.6 mm**
2 x 2.5 - 5 mm

**KEL-DPZ 50|78 CR
(S)VOC bk**


Part No. **50756.600**
 EAN **4251269328176**
 Package quantity **5**
 For max. no. of cables **78**
 Max. cable diameter **5 mm**
 Colour **black**
 Height **22 mm**

Mounting height **8 mm**
 External diameter **62 mm**
 Cut-out size, round **50,4 mm**
 Cut-out size, metric **M50**
 Thread **M50 × 1,5**
 Thread length **14 mm**
 Clamping range **76 x 1.5 - 2.6 mm**
2 x 2.5 - 5 mm

**KEL-DPZ 63|9 CR
(S)VOC gy**


Part No. **43760.600**
 EAN **4251269328046**
 Package quantity **5**
 For max. no. of cables **9**
 Max. cable diameter **22,2 mm**
 Colour **grey (similar RAL 7035)**
 Height **22 mm**

Mounting height **8 mm**
 External diameter **75 mm**
 Cut-out size, round **63,4 mm**
 Cut-out size, metric **M63**
 Thread **M63 × 1,5**
 Thread length **14 mm**
 Clamping range **1 x 3.2 - 6.5 mm**
3 x 5 - 10.2 mm
4 x 9 - 16.2 mm
1 x 16 - 22.2 mm

KEL-DPZ 63|9 CR gy


Part No. **43760.601**
 EAN **4251269328343**
 Package quantity **5**
 For max. no. of cables **9**
 Max. cable diameter **22,2 mm**
 Colour **grey (similar RAL 7035)**
 Height **22 mm**

Mounting height **8 mm**
 External diameter **75 mm**
 Cut-out size, round **63,4 mm**
 Cut-out size, metric **M63**
 Thread **M63 × 1,5**
 Thread length **14 mm**
 Clamping range **1 x 3.2 - 6.5 mm**
3 x 5 - 10.2 mm
4 x 9 - 16.2 mm
1 x 16 - 22.2 mm

KEL-DPZ 63|9 CR bk


Part No. **50760.601**
 EAN **4251269328497**
 Package quantity **5**
 For max. no. of cables **9**
 Max. cable diameter **22,2 mm**
 Colour **black**
 Height **22 mm**

Mounting height **8 mm**
 External diameter **75 mm**
 Cut-out size, round **63,4 mm**
 Cut-out size, metric **M63**
 Thread **M63 × 1,5**
 Thread length **14 mm**
 Clamping range **1 x 3.2 - 6.5 mm**
3 x 5 - 10.2 mm
4 x 9 - 16.2 mm
1 x 16 - 22.2 mm

**KEL-DPZ 63|9 CR
(S)VOC bk**


Part No. **50760.600**
 EAN **4251269328190**
 Package quantity **5**
 For max. no. of cables **9**
 Max. cable diameter **22,2 mm**
 Colour **black**
 Height **22 mm**

Mounting height **8 mm**
 External diameter **75 mm**
 Cut-out size, round **63,4 mm**
 Cut-out size, metric **M63**
 Thread **M63 × 1,5**
 Thread length **14 mm**
 Clamping range **1 x 3.2 - 6.5 mm**
3 x 5 - 10.2 mm
4 x 9 - 16.2 mm
1 x 16 - 22.2 mm

KEL-DPZ 63|13 CR gy


Part No. **43761.601**
 EAN **4251269328350**
 Package quantity **5**
 For max. no. of cables **13**
 Max. cable diameter **16,2 mm**
 Colour **grey (similar RAL 7035)**
 Height **22 mm**

Mounting height **8 mm**
 External diameter **75 mm**
 Cut-out size, round **63,4 mm**
 Cut-out size, metric **M63**
 Thread **M63 x 1,5**
 Thread length **14 mm**
 Clamping range **4 x 3.2 - 6.5 mm**
4 x 5 - 10.2 mm
5 x 9 - 16.2 mm

KEL-DPZ 63|13 CR (S)VOC gy


Part No. **43761.600**
 EAN **4251269328053**
 Package quantity **5**
 For max. no. of cables **13**
 Max. cable diameter **16,2 mm**
 Colour **grey (similar RAL 7035)**
 Height **22 mm**

Mounting height **8 mm**
 External diameter **75 mm**
 Cut-out size, round **63,4 mm**
 Cut-out size, metric **M63**
 Thread **M63 x 1,5**
 Thread length **14 mm**
 Clamping range **4 x 3.2 - 6.5 mm**
4 x 5 - 10.2 mm
5 x 9 - 16.2 mm

KEL-DPZ 63|13 CR bk


Part No. **50761.601**
 EAN **4251269328503**
 Package quantity **5**
 For max. no. of cables **13**
 Max. cable diameter **16,2 mm**
 Colour **black**
 Height **22 mm**

Mounting height **8 mm**
 External diameter **75 mm**
 Cut-out size, round **63,4 mm**
 Cut-out size, metric **M63**
 Thread **M63 x 1,5**
 Thread length **14 mm**
 Clamping range **4 x 3.2 - 6.5 mm**
4 x 5 - 10.2 mm
5 x 9 - 16.2 mm

KEL-DPZ 63|13 CR (S)VOC bk


Part No. **50761.600**
 EAN **4251269328206**
 Package quantity **5**
 For max. no. of cables **13**
 Max. cable diameter **16,2 mm**
 Colour **black**
 Height **22 mm**

Mounting height **8 mm**
 External diameter **75 mm**
 Cut-out size, round **63,4 mm**
 Cut-out size, metric **M63**
 Thread **M63 x 1,5**
 Thread length **14 mm**
 Clamping range **4 x 3.2 - 6.5 mm**
4 x 5 - 10.2 mm
5 x 9 - 16.2 mm

KEL-DPZ 63|14 CR (S)VOC gy


Part No. **43762.600**
 EAN **4251269328060**
 Package quantity **5**
 For max. no. of cables **14**
 Max. cable diameter **10,2 mm**
 Colour **grey (similar RAL 7035)**
 Height **22 mm**

Mounting height **8 mm**
 External diameter **75 mm**
 Cut-out size, round **63,4 mm**
 Cut-out size, metric **M63**
 Thread **M63 x 1,5**
 Thread length **14 mm**
 Clamping range **14 x 5 - 10.2 mm**

KEL-DPZ 63|14 CR gy


Part No. **43762.601**
 EAN **4251269328367**
 Package quantity **5**
 For max. no. of cables **14**
 Max. cable diameter **10,2 mm**
 Colour **grey (similar RAL 7035)**
 Height **22 mm**

Mounting height **8 mm**
 External diameter **75 mm**
 Cut-out size, round **63,4 mm**
 Cut-out size, metric **M63**
 Thread **M63 × 1,5**
 Thread length **14 mm**
 Clamping range **14 x 5 - 10.2 mm**

KEL-DPZ 63|14 CR (S)VOC bk


Part No. **50762.600**
 EAN **4251269328213**
 Package quantity **5**
 For max. no. of cables **14**
 Max. cable diameter **10,2 mm**
 Colour **black**
 Height **22 mm**

Mounting height **8 mm**
 External diameter **75 mm**
 Cut-out size, round **63,4 mm**
 Cut-out size, metric **M63**
 Thread **M63 × 1,5**
 Thread length **14 mm**
 Clamping range **14 x 5 - 10.2 mm**

KEL-DPZ 63|14 CR bk


Part No. **50762.601**
 EAN **4251269328510**
 Package quantity **5**
 For max. no. of cables **14**
 Max. cable diameter **10,2 mm**
 Colour **black**
 Height **22 mm**

Mounting height **8 mm**
 External diameter **75 mm**
 Cut-out size, round **63,4 mm**
 Cut-out size, metric **M63**
 Thread **M63 × 1,5**
 Thread length **14 mm**
 Clamping range **14 x 5 - 10.2 mm**

KEL-DPZ 63|35 CR gy


Part No. **43763.601**
 EAN **4251269328374**
 Package quantity **5**
 For max. no. of cables **35**
 Max. cable diameter **6,5 mm**
 Colour **grey (similar RAL 7035)**
 Height **22 mm**

Mounting height **8 mm**
 External diameter **75 mm**
 Cut-out size, round **63,4 mm**
 Cut-out size, metric **M63**
 Thread **M63 × 1,5**
 Thread length **14 mm**
 Clamping range **35 x 3.2 - 6.5 mm**

KEL-DPZ 63|35 CR (S)VOC gy

Part No. **43763.600**
 EAN **4251269328060**
 Package quantity **5**
 For max. no. of cables **35**
 Max. cable diameter **6,5 mm**
 Colour **grey (similar RAL 7035)**
 Height **22 mm**


Mounting height **8 mm**
 External diameter **75 mm**
 Cut-out size, round **63,4 mm**
 Cut-out size, metric **M63**
 Thread **M63 × 1,5**
 Thread length **14 mm**
 Clamping range **35 x 3.2 - 6.5 mm**

KEL-DPZ 63|35 CR bk

Part No. **50763.601**
 EAN **4251269328527**
 Package quantity **5**
 For max. no. of cables **35**
 Max. cable diameter **6,5 mm**
 Colour **black**
 Height **22 mm**

Mounting height **8 mm**
 External diameter **75 mm**
 Cut-out size, round **63,4 mm**
 Cut-out size, metric **M63**
 Thread **M63 × 1,5**
 Thread length **14 mm**
 Clamping range **35 x 3.2 - 6.5 mm**

KEL-DPZ 63|35 CR
(S)VOC bk



Part No.
EAN
Package quantity
For max. no. of cables
Max. cable diameter
Colour
Height

50763.600
4251269328220
5
35
6,5 mm
black
22 mm

Mounting height
External diameter
Cut-out size, round
Cut-out size, metric
Thread
Thread length
Clamping range

8 mm
75 mm
63,4 mm
M63
M63 × 1,5
14 mm
35 x 3.2 - 6.5 mm

icotek[®]
smart cable management