

# KEL-DP multi-membrane cable entry plates, round

pluggable into metric cut-outs M16 - M50 / IP65 / UL Type 12



KEL-DP entry plates are designed for routing cables without connectors, hoses or fibre optics in limited space.

The KEL-DP products are an easy to assemble and cost saving alternative to traditional cable glands. Simply make a small hole in the thin membrane and push the cables through. The KEL-DP round provides protection IP65 / UL type 12.

The round version of the KEL-DP fits perfectly into metric cut-outs M16 | M20 | M25 | M32 | M40 | M50. A special rib ensures a centred fit in the cut-outs.

ST-B Plugs can be used for sealing pierced membranes if cables have been removed.

IP54



IP55



RoHS compliant

IP64



IP65



Made in Germany



## Specifications


<b>IP rating (EN 60529)</b>	IP54, IP55, IP64, IP65
<b>UL Type (UL 50E)</b>	UL Type 12
<b>Material</b>	Elastomer
<b>Flame class</b>	UL94-V0, self-extinguishing
<b>Operating temperature</b>	-40 C° to 100 C°
<b>Properties</b>	silicone free, halogen free
<b>Mounting options</b>	Snap-in

## Advantages & Benefits

- Quick assembly without tools
- High cable density
- Cost-effective solution
- Hygienic design - free of dirt-collecting recesses


## Product Types & Sizes

### KEL-DP 12|1 A gy round




Part No.	<b>43603</b>	Mounting height	<b>5 mm</b>
EAN		External diameter	<b>19 mm</b>
Package quantity	<b>10</b>	Cut-out size, round	<b>12 mm</b>
For max. no. of cables	<b>1</b>	Cut-out size, metric	<b>M12</b>
Max. cable diameter	<b>6,2 mm</b>	For min. wall thickness	<b>1,5 mm</b>
Color	<b>gray (similar RAL 7035)</b>	For max. wall thickness	<b>2,5 mm</b>
Height	<b>12 mm</b>	Clamping range	<b>1 x 1 - 6.2 mm</b>

### KEL-DP 16|1 A gy round



Part No.	<b>43600</b>	Mounting height	<b>5 mm</b>
EAN	<b>4251269329791</b>	External diameter	<b>23 mm</b>
Package quantity	<b>10</b>	Cut-out size, round	<b>16 mm</b>
For max. no. of cables	<b>1</b>	Cut-out size, metric	<b>M16</b>
Max. cable diameter	<b>9,2 mm</b>	For min. wall thickness	<b>1,5 mm</b>
Color	<b>gray (similar RAL 7035)</b>	For max. wall thickness	<b>2,5 mm</b>
Height	<b>12 mm</b>	Clamping range	<b>1 x 1 - 9.2 mm</b>


**KEL-DP 16|3 A gy round**

Part No.  
EAN  
Package quantity  
For max. no. of cables  
Max. cable diameter  
Color  
Height

**43601**  
**4251269329807**  
**10**  
**3**  
**5,2 mm**  
**gray (similar RAL 7035)**  
**12 mm**

Mounting height  
External diameter  
Cut-out size, round  
Cut-out size, metric  
For min. wall thickness  
For max. wall thickness  
Clamping range

**5 mm**  
**23 mm**  
**16 mm**  
**M16**  
**1,5 mm**  
**2,5 mm**  
**3 x 1 - 5.2 mm**


**KEL-DP 16|7 A gy round**

Part No.  
EAN  
Package quantity  
For max. no. of cables  
Max. cable diameter  
Color  
Height

**43602**  
**4251269329814**  
**10**  
**7**  
**3,2 mm**  
**gray (similar RAL 7035)**  
**12 mm**

Mounting height  
External diameter  
Cut-out size, round  
Cut-out size, metric  
For min. wall thickness  
For max. wall thickness  
Clamping range

**5 mm**  
**23 mm**  
**16 mm**  
**M16**  
**1,5 mm**  
**2,5 mm**  
**7 x 1 - 3.2 mm**


**KEL-DP 20|4 A gy round**

Part No.  
EAN  
Package quantity  
For max. no. of cables  
Max. cable diameter  
Color  
Height

**43572**  
**4251269320477**  
**10**  
**4**  
**5,2 mm**  
**gray (similar RAL 7035)**  
**12 mm**

Mounting height  
External diameter  
Cut-out size, round  
Cut-out size, metric  
For min. wall thickness  
For max. wall thickness  
Clamping range

**5 mm**  
**27 mm**  
**20 mm**  
**M20**  
**1,5 mm**  
**2,5 mm**  
**4 x 1 - 5.2 mm**


**KEL-DP 20|1 A gy round**

Part No.  
EAN  
Package quantity  
For max. no. of cables  
Max. cable diameter  
Color  
Height

**43571**  
**4251269329784**  
**10**  
**1**  
**14 mm**  
**gray (similar RAL 7035)**  
**12 mm**

Mounting height  
External diameter  
Cut-out size, round  
Cut-out size, metric  
For min. wall thickness  
For max. wall thickness  
Clamping range

**5 mm**  
**27 mm**  
**20 mm**  
**M20**  
**1,5 mm**  
**2,5 mm**  
**1 x 1 - 14 mm**


**KEL-DP 20|4-1 A gy round**

Part No.  
EAN  
Package quantity  
For max. no. of cables  
Max. cable diameter  
Color  
Height

**43575**  
**4251269323911**  
**10**  
**4**  
**8 mm**  
**gray (similar RAL 7035)**  
**12 mm**

Mounting height  
External diameter  
Cut-out size, round  
Cut-out size, metric  
For min. wall thickness  
For max. wall thickness  
Clamping range

**5 mm**  
**27 mm**  
**20 mm**  
**M20**  
**1,5 mm**  
**2,5 mm**  
**2 x 1 - 8 mm**  
**2 x 1 - 4.5 mm**

**KEL-DP 20|5 A gy round**


Part No.  
EAN  
Package quantity  
For max. no. of cables  
Max. cable diameter  
Color  
Height

**43573**  
**4251269320484**  
**10**  
**5**  
**10,6 mm**  
**gray (similar RAL 7035)**  
**12 mm**

Mounting height  
External diameter  
Cut-out size, round  
Cut-out size, metric  
For min. wall thickness  
For max. wall thickness  
Clamping range

**5 mm**  
**27 mm**  
**20 mm**  
**M20**  
**1,5 mm**  
**2,5 mm**  
**1 x 1 - 10.6 mm**  
**2 x 1 - 4.6 mm**  
**2 x 1 - 3.6 mm**


**KEL-DP 20|9 A gy  
round**



Part No. **43574**  
EAN **4251269320491**  
Package quantity **10**  
For max. no. of cables **9**  
Max. cable diameter **4,6 mm**  
Color **gray (similar RAL 7035)**  
Height **12 mm**

Mounting height **5 mm**  
External diameter **27 mm**  
Cut-out size, round **20 mm**  
Cut-out size, metric **M20**  
For min. wall thickness **1,5 mm**  
For max. wall thickness **2,5 mm**  
Clamping range **5 x 1 - 4.6 mm**  
**4 x 1 - 3.6 mm**


**KEL-DP 25|4 A gy  
round**



Part No. **43533**  
EAN **4251269310027**  
Package quantity **10**  
For max. no. of cables **4**  
Max. cable diameter **8 mm**  
Color **gray (similar RAL 7035)**  
Height **12 mm**

Mounting height **5 mm**  
External diameter **32 mm**  
Cut-out size, round **25 mm**  
Cut-out size, metric **M25**  
For min. wall thickness **1,5 mm**  
For max. wall thickness **2,5 mm**  
Clamping range **4 x 1 - 8 mm**


**KEL-DP 25|4 B gy  
round**



Part No. **50536**  
EAN **4251269333248**  
Package quantity **10**  
For max. no. of cables **4**  
Max. cable diameter **8 mm**  
Color **gray (similar RAL 7035)**  
Height **12 mm**

Mounting height **5 mm**  
External diameter **32 mm**  
Cut-out size, round **25 mm**  
Cut-out size, metric **M25**  
For min. wall thickness **2,8 mm**  
For max. wall thickness **4 mm**  
Clamping range **4 x 1 - 8 mm**


**KEL-DP 25|4 A bk  
round**



Part No. **50533**  
EAN **4251269314803**  
Package quantity **10**  
For max. no. of cables **4**  
Max. cable diameter **8 mm**  
Color **black**  
Height **12 mm**

Mounting height **5 mm**  
External diameter **32 mm**  
Cut-out size, round **25 mm**  
Cut-out size, metric **M25**  
For min. wall thickness **1,5 mm**  
For max. wall thickness **2,5 mm**  
Clamping range **4 x 1 - 8 mm**


**KEL-DP 25|4 B bk  
round**



Part No. **43535**  
EAN **4251269324079**  
Package quantity **10**  
For max. no. of cables **4**  
Max. cable diameter **8 mm**  
Color **black**  
Height **12 mm**

Mounting height **5 mm**  
External diameter **32 mm**  
Cut-out size, round **25 mm**  
Cut-out size, metric **M25**  
For min. wall thickness **2,8 mm**  
For max. wall thickness **4 mm**  
Clamping range **4 x 1 - 8 mm**

**KEL-DP 25|6 A gy  
round**




Part No. **43531**  
EAN **4251269310003**  
Package quantity **10**  
For max. no. of cables **6**  
Max. cable diameter **9,4 mm**  
Color **gray (similar RAL 7035)**  
Height **12 mm**

Mounting height **5 mm**  
External diameter **32 mm**  
Cut-out size, round **25 mm**  
Cut-out size, metric **M25**  
For min. wall thickness **1,5 mm**  
For max. wall thickness **2,5 mm**  
Clamping range **4 x 1 - 5.2 mm**  
**2 x 1 - 9.4 mm**

**KEL-DP 25|6 A bk**

round




Part No. **50531**  
 EAN **4251269314780**  
 Package quantity **10**  
 For max. no. of cables **6**  
 Max. cable diameter **9,4 mm**  
 Color **black**  
 Height **12 mm**

Mounting height **5 mm**  
 External diameter **32 mm**  
 Cut-out size, round **25 mm**  
 Cut-out size, metric **M25**  
 For min. wall thickness **1,5 mm**  
 For max. wall thickness **2,5 mm**  
 Clamping range **4 x 1 - 5.2 mm**  
**2 x 1 - 9.4 mm**

**KEL-DP 25|7 A gy**

round




Part No. **43534**  
 EAN **4251269322563**  
 Package quantity **10**  
 For max. no. of cables **7**  
 Max. cable diameter **5,2 mm**  
 Color **gray (similar RAL 7035)**  
 Height **12 mm**

Mounting height **5 mm**  
 External diameter **32 mm**  
 Cut-out size, round **25 mm**  
 Cut-out size, metric **M25**  
 For min. wall thickness **1,5 mm**  
 For max. wall thickness **2,5 mm**  
 Clamping range **7 x 1 - 5.2 mm**

**KEL-DP 32|7 A gy**

round




Part No. **43592**  
 EAN **4251269322488**  
 Package quantity **10**  
 For max. no. of cables **7**  
 Max. cable diameter **8 mm**  
 Color **gray (similar RAL 7035)**  
 Height **12 mm**

Mounting height **5 mm**  
 External diameter **38 mm**  
 Cut-out size, round **32 mm**  
 Cut-out size, metric **M32**  
 For min. wall thickness **1,5 mm**  
 For max. wall thickness **2,5 mm**  
 Clamping range **7 x 1 - 8 mm**

**KEL-DP 32|7 B gy**

round




Part No. **43596**  
 EAN **4251269322525**  
 Package quantity **10**  
 For max. no. of cables **7**  
 Max. cable diameter **8 mm**  
 Color **gray (similar RAL 7035)**  
 Height **12 mm**

Mounting height **5 mm**  
 External diameter **38 mm**  
 Cut-out size, round **32 mm**  
 Cut-out size, metric **M32**  
 For min. wall thickness **2,8 mm**  
 For max. wall thickness **4 mm**  
 Clamping range **7 x 1 - 8 mm**

**KEL-DP 32|10 A gy**

round




Part No. **43532**  
 EAN **4251269310010**  
 Package quantity **10**  
 For max. no. of cables **10**  
 Max. cable diameter **9,4 mm**  
 Color **gray (similar RAL 7035)**  
 Height **12 mm**

Mounting height **5 mm**  
 External diameter **38 mm**  
 Cut-out size, round **32 mm**  
 Cut-out size, metric **M32**  
 For min. wall thickness **1,5 mm**  
 For max. wall thickness **2,5 mm**  
 Clamping range **6 x 1 - 5.2 mm**  
**2 x 1 - 6.4 mm**  
**2 x 1 - 9.4 mm**


**KEL-DP 32|10 B gy**

round




Part No. **43560**  
 EAN **4251269310133**  
 Package quantity **10**  
 For max. no. of cables **10**  
 Max. cable diameter **9,4 mm**  
 Color **gray (similar RAL 7035)**  
 Height **12 mm**

Mounting height **5 mm**  
 External diameter **38 mm**  
 Cut-out size, round **32 mm**  
 Cut-out size, metric **M32**  
 For min. wall thickness **2,8 mm**  
 For max. wall thickness **4 mm**  
 Clamping range **6 x 1 - 5.2 mm**  
**2 x 1 - 6.4 mm**  
**2 x 1 - 9.4 mm**

**KEL-DP 32|10 A bk  
round**


Part No. **50532**  
 EAN **4251269314797**  
 Package quantity **10**  
 For max. no. of cables **10**  
 Max. cable diameter **9,4 mm**  
 Color **black**  
 Height **12 mm**

Mounting height **5 mm**  
 External diameter **38 mm**  
 Cut-out size, round **32 mm**  
 Cut-out size, metric **M32**  
 For min. wall thickness **1,5 mm**  
 For max. wall thickness **2,5 mm**  
 Clamping range **6 x 1 - 5.2 mm**  
**2 x 1 - 6.4 mm**  
**2 x 1 - 9.4 mm**

**KEL-DP 32|10 B bk  
round**


Part No. **50560**  
 EAN **4251269314889**  
 Package quantity **10**  
 For max. no. of cables **10**  
 Max. cable diameter **9,4 mm**  
 Color **black**  
 Height **12 mm**

Mounting height **5 mm**  
 External diameter **38 mm**  
 Cut-out size, round **32 mm**  
 Cut-out size, metric **M32**  
 For min. wall thickness **2,8 mm**  
 For max. wall thickness **4 mm**  
 Clamping range **6 x 1 - 5.2 mm**  
**2 x 1 - 6.4 mm**  
**2 x 1 - 9.4 mm**

**KEL-DP 32|10-2 A gy  
round**


Part No. **43593**  
 EAN **4251269322495**  
 Package quantity **10**  
 For max. no. of cables **10**  
 Max. cable diameter **6,4 mm**  
 Color **gray (similar RAL 7035)**  
 Height **12 mm**

Mounting height **5 mm**  
 External diameter **38 mm**  
 Cut-out size, round **32 mm**  
 Cut-out size, metric **M32**  
 For min. wall thickness **1,5 mm**  
 For max. wall thickness **2,5 mm**  
 Clamping range **10 x 1 - 6.4 mm**

**KEL-DP 32|10-2 B gy  
round**


Part No. **43597**  
 EAN **4251269322532**  
 Package quantity **10**  
 For max. no. of cables **10**  
 Max. cable diameter **6,4 mm**  
 Color **gray (similar RAL 7035)**  
 Height **12 mm**

Mounting height **5 mm**  
 External diameter **38 mm**  
 Cut-out size, round **32 mm**  
 Cut-out size, metric **M32**  
 For min. wall thickness **2,8 mm**  
 For max. wall thickness **4 mm**  
 Clamping range **10 x 1 - 6.4 mm**

**KEL-DP 32|11 A gy  
round**


Part No. **43594**  
 EAN **4251269322501**  
 Package quantity **10**  
 For max. no. of cables **11**  
 Max. cable diameter **8 mm**  
 Color **gray (similar RAL 7035)**  
 Height **12 mm**

Mounting height **5 mm**  
 External diameter **38 mm**  
 Cut-out size, round **32 mm**  
 Cut-out size, metric **M32**  
 For min. wall thickness **1,5 mm**  
 For max. wall thickness **2,5 mm**  
 Clamping range **2 x 1 - 8 mm**  
**9 x 1 - 5.2 mm**

**KEL-DP 32|11 B gy  
round**


Part No. **43598**  
 EAN **4251269322549**  
 Package quantity **10**  
 For max. no. of cables **11**  
 Max. cable diameter **8 mm**  
 Color **gray (similar RAL 7035)**  
 Height **12 mm**

Mounting height **5 mm**  
 External diameter **38 mm**  
 Cut-out size, round **32 mm**  
 Cut-out size, metric **M32**  
 For min. wall thickness **2,8 mm**  
 For max. wall thickness **4 mm**  
 Clamping range **2 x 1 - 8 mm**  
**9 x 1 - 5.2 mm**

**KEL-DP 32|13 A gy  
round**


Part No. **43595**  
 EAN **4251269322518**  
 Package quantity **10**  
 For max. no. of cables **13**  
 Max. cable diameter **5,2 mm**  
 Color **gray (similar RAL 7035)**  
 Height **12 mm**

Mounting height **5 mm**  
 External diameter **38 mm**  
 Cut-out size, round **32 mm**  
 Cut-out size, metric **M32**  
 For min. wall thickness **1,5 mm**  
 For max. wall thickness **2,5 mm**  
 Clamping range **13 x 1 - 5.2 mm**

**KEL-DP 32|13 B gy  
round**


Part No. **43599**  
 EAN **4251269322556**  
 Package quantity **10**  
 For max. no. of cables **13**  
 Max. cable diameter **5,2 mm**  
 Color **gray (similar RAL 7035)**  
 Height **12 mm**

Mounting height **5 mm**  
 External diameter **38 mm**  
 Cut-out size, round **32 mm**  
 Cut-out size, metric **M32**  
 For min. wall thickness **2,8 mm**  
 For max. wall thickness **4 mm**  
 Clamping range **13 x 1 - 5.2 mm**

**KEL-DP 40|9 A gy  
round**


Part No. **43536**  
 EAN **4251269310034**  
 Package quantity **10**  
 For max. no. of cables **9**  
 Max. cable diameter **11,3 mm**  
 Color **gray (similar RAL 7035)**  
 Height **12 mm**

Mounting height **5 mm**  
 External diameter **50 mm**  
 Cut-out size, round **40 mm**  
 Cut-out size, metric **M40**  
 For min. wall thickness **1,5 mm**  
 For max. wall thickness **2,5 mm**  
 Clamping range **8 x 1 - 9.5 mm**  
**1 x 1 - 11.3 mm**

**KEL-DP 40|9 B gy  
round**


Part No. **43561**  
 EAN **4251269310140**  
 Package quantity **10**  
 For max. no. of cables **9**  
 Max. cable diameter **11,3 mm**  
 Color **gray (similar RAL 7035)**  
 Height **12 mm**

Mounting height **5 mm**  
 External diameter **50 mm**  
 Cut-out size, round **40 mm**  
 Cut-out size, metric **M40**  
 For min. wall thickness **2,8 mm**  
 For max. wall thickness **4 mm**  
 Clamping range **8 x 1 - 9.5 mm**  
**1 x 1 - 11.3 mm**

**KEL-DP 40|16 A gy  
round**


Part No. **43537**  
 EAN **4251269310041**  
 Package quantity **10**  
 For max. no. of cables **16**  
 Max. cable diameter **11,3 mm**  
 Color **gray (similar RAL 7035)**  
 Height **12 mm**

Mounting height **5 mm**  
 External diameter **50 mm**  
 Cut-out size, round **40 mm**  
 Cut-out size, metric **M40**  
 For min. wall thickness **1,5 mm**  
 For max. wall thickness **2,5 mm**  
 Clamping range **2 x 1 - 5.3 mm**  
**10 x 1 - 6.3 mm**  
**2 x 1 - 9.5 mm**  
**2 x 1 - 11.3 mm**

**KEL-DP 40|16 B gy  
round**


Part No. **43563**  
 EAN **4251269310164**  
 Package quantity **10**  
 For max. no. of cables **16**  
 Max. cable diameter **11,3 mm**  
 Color **gray (similar RAL 7035)**  
 Height **12 mm**

Mounting height **5 mm**  
 External diameter **50 mm**  
 Cut-out size, round **40 mm**  
 Cut-out size, metric **M40**  
 For min. wall thickness **2,8 mm**  
 For max. wall thickness **4 mm**  
 Clamping range **2 x 1 - 5.3 mm**  
**10 x 1 - 6.3 mm**  
**2 x 1 - 9.5 mm**  
**2 x 1 - 11.3 mm**

**KEL-DP 40|17 A gy round**


Part No. **43538**  
 EAN **4251269310058**  
 Package quantity **10**  
 For max. no. of cables **17**  
 Max. cable diameter **7,2 mm**  
 Color **gray (similar RAL 7035)**  
 Height **12 mm**

Mounting height **5 mm**  
 External diameter **50 mm**  
 Cut-out size, round **40 mm**  
 Cut-out size, metric **M40**  
 For min. wall thickness **1,5 mm**  
 For max. wall thickness **2,5 mm**  
 Clamping range **1 x 1 - 4 mm**  
**16 x 1 - 7.2 mm**

**KEL-DP 40|17 B gy round**


Part No. **43565**  
 EAN **4251269310188**  
 Package quantity **10**  
 For max. no. of cables **17**  
 Max. cable diameter **7,2 mm**  
 Color **gray (similar RAL 7035)**  
 Height **12 mm**

Mounting height **5 mm**  
 External diameter **50 mm**  
 Cut-out size, round **40 mm**  
 Cut-out size, metric **M40**  
 For min. wall thickness **2,8 mm**  
 For max. wall thickness **4 mm**  
 Clamping range **1 x 1 - 4 mm**  
**16 x 1 - 7.2 mm**

**KEL-DP 50|9 A gy round**


Part No. **43554**  
 EAN **4251269310102**  
 Package quantity **10**  
 For max. no. of cables **9**  
 Max. cable diameter **18 mm**  
 Color **gray (similar RAL 7035)**  
 Height **12 mm**

Mounting height **5 mm**  
 External diameter **60 mm**  
 Cut-out size, round **50 mm**  
 Cut-out size, metric **M50**  
 For min. wall thickness **1,5 mm**  
 For max. wall thickness **2,5 mm**  
 Clamping range **5 x 1 - 7 mm**  
**4 x 1 - 18 mm**

**KEL-DP 50|9 B gy round**


Part No. **43568**  
 EAN **4251269310218**  
 Package quantity **10**  
 For max. no. of cables **9**  
 Max. cable diameter **18 mm**  
 Color **gray (similar RAL 7035)**  
 Height **12 mm**

Mounting height **5 mm**  
 External diameter **60 mm**  
 Cut-out size, round **50 mm**  
 Cut-out size, metric **M50**  
 For min. wall thickness **2,8 mm**  
 For max. wall thickness **4 mm**  
 Clamping range **5 x 1 - 7 mm**  
**4 x 1 - 18 mm**

**KEL-DP 50|9 A bk round**

Part No. **50554**  
 EAN **4251269314858**  
 Package quantity **10**  
 For max. no. of cables **9**  
 Max. cable diameter **18 mm**  
 Color **black**  
 Height **12 mm**


Mounting height **5 mm**  
 External diameter **60 mm**  
 Cut-out size, round **50 mm**  
 Cut-out size, metric **M50**  
 For min. wall thickness **1,5 mm**  
 For max. wall thickness **2,5 mm**  
 Clamping range **5 x 1 - 7 mm**  
**4 x 1 - 18 mm**

**KEL-DP 50|9 B bk round**

Part No. **50568**  
 EAN **4251269314933**  
 Package quantity **10**  
 For max. no. of cables **9**  
 Max. cable diameter **18 mm**  
 Color **black**  
 Height **12 mm**

Mounting height **5 mm**  
 External diameter **60 mm**  
 Cut-out size, round **50 mm**  
 Cut-out size, metric **M50**  
 For min. wall thickness **2,8 mm**  
 For max. wall thickness **4 mm**  
 Clamping range **5 x 1 - 7 mm**  
**4 x 1 - 18 mm**


**KEL-DP 50|11 A gy  
round**



Part No. **43555**  
EAN **4251269310119**  
Package quantity **10**  
For max. no. of cables **11**  
Max. cable diameter **22,5 mm**  
Color **gray (similar RAL 7035)**  
Height **12 mm**

Mounting height **5 mm**  
External diameter **60 mm**  
Cut-out size, round **50 mm**  
Cut-out size, metric **M50**  
For min. wall thickness **1,5 mm**  
For max. wall thickness **2,5 mm**  
Clamping range **7 x 1 - 7.2 mm**  
**3 x 1 - 11.2 mm**  
**1 x 1 - 22.5 mm**


**KEL-DP 50|11 B gy  
round**



Part No. **43569**  
EAN **4251269310225**  
Package quantity **10**  
For max. no. of cables **11**  
Max. cable diameter **22,5 mm**  
Color **gray (similar RAL 7035)**  
Height **12 mm**

Mounting height **5 mm**  
External diameter **60 mm**  
Cut-out size, round **50 mm**  
Cut-out size, metric **M50**  
For min. wall thickness **2,8 mm**  
For max. wall thickness **4 mm**  
Clamping range **7 x 1 - 7.2 mm**  
**3 x 1 - 11.2 mm**  
**1 x 1 - 22.5 mm**


**KEL-DP 50|11 A bk  
round**



Part No. **50555**  
EAN **4251269314865**  
Package quantity **10**  
For max. no. of cables **11**  
Max. cable diameter **22,5 mm**  
Color **black**  
Height **12 mm**

Mounting height **5 mm**  
External diameter **60 mm**  
Cut-out size, round **50 mm**  
Cut-out size, metric **M50**  
For min. wall thickness **1,5 mm**  
For max. wall thickness **2,5 mm**  
Clamping range **7 x 1 - 7.2 mm**  
**3 x 1 - 11.2 mm**  
**1 x 1 - 22.5 mm**


**KEL-DP 50|11 B bk  
round**



Part No. **50569**  
EAN **4251269314940**  
Package quantity **10**  
For max. no. of cables **11**  
Max. cable diameter **22,5 mm**  
Color **black**  
Height **12 mm**

Mounting height **5 mm**  
External diameter **60 mm**  
Cut-out size, round **50 mm**  
Cut-out size, metric **M50**  
For min. wall thickness **2,8 mm**  
For max. wall thickness **4 mm**  
Clamping range **7 x 1 - 7.2 mm**  
**3 x 1 - 11.2 mm**  
**1 x 1 - 22.5 mm**

**KEL-DP 50|12 A gy  
round**




Part No. **43551**  
EAN **4251269310072**  
Package quantity **10**  
For max. no. of cables **12**  
Max. cable diameter **11,2 mm**  
Color **gray (similar RAL 7035)**  
Height **12 mm**

Mounting height **5 mm**  
External diameter **60 mm**  
Cut-out size, round **50 mm**  
Cut-out size, metric **M50**  
For min. wall thickness **1,5 mm**  
For max. wall thickness **2,5 mm**  
Clamping range **10 x 1 - 9.2 mm**  
**2 x 1 - 11.2 mm**




**KEL-DP 50|12 B gy**  
round




Part No.	<b>43562</b>	Mounting height	<b>5 mm</b>
EAN	<b>4251269310157</b>	External diameter	<b>60 mm</b>
Package quantity	<b>10</b>	Cut-out size, round	<b>50 mm</b>
For max. no. of cables	<b>12</b>	Cut-out size, metric	<b>M50</b>
Max. cable diameter	<b>11,2 mm</b>	For min. wall thickness	<b>2,8 mm</b>
Color	<b>gray (similar RAL 7035)</b>	For max. wall thickness	<b>4 mm</b>
Height	<b>12 mm</b>	Clamping range	<b>10 x 1 - 9.2 mm</b> <b>2 x 1 - 11.2 mm</b>

**KEL-DP 50|12 A bk**  
round




Part No.	<b>50551</b>	Mounting height	<b>5 mm</b>
EAN	<b>4251269314827</b>	External diameter	<b>60 mm</b>
Package quantity	<b>10</b>	Cut-out size, round	<b>50 mm</b>
For max. no. of cables	<b>12</b>	Cut-out size, metric	<b>M50</b>
Max. cable diameter	<b>11,2 mm</b>	For min. wall thickness	<b>1,5 mm</b>
Color	<b>black</b>	For max. wall thickness	<b>2,5 mm</b>
Height	<b>12 mm</b>	Clamping range	<b>10 x 1 - 9.2 mm</b> <b>2 x 1 - 11.2 mm</b>

**KEL-DP 50|12 B bk**  
round




Part No.	<b>50562</b>	Mounting height	<b>5 mm</b>
EAN	<b>4251269314896</b>	External diameter	<b>60 mm</b>
Package quantity	<b>10</b>	Cut-out size, round	<b>50 mm</b>
For max. no. of cables	<b>12</b>	Cut-out size, metric	<b>M50</b>
Max. cable diameter	<b>11,2 mm</b>	For min. wall thickness	<b>2,8 mm</b>
Color	<b>black</b>	For max. wall thickness	<b>4 mm</b>
Height	<b>12 mm</b>	Clamping range	<b>10 x 1 - 9.2 mm</b> <b>2 x 1 - 11.2 mm</b>

**KEL-DP 50|16 A gy**  
round




Part No.	<b>43550</b>	Mounting height	<b>5 mm</b>
EAN	<b>4251269310065</b>	External diameter	<b>60 mm</b>
Package quantity	<b>10</b>	Cut-out size, round	<b>50 mm</b>
For max. no. of cables	<b>16</b>	Cut-out size, metric	<b>M50</b>
Max. cable diameter	<b>11,3 mm</b>	For min. wall thickness	<b>1,5 mm</b>
Color	<b>gray (similar RAL 7035)</b>	For max. wall thickness	<b>2,5 mm</b>
Height	<b>12 mm</b>	Clamping range	<b>4 x 1 - 5.3 mm</b> <b>5 x 1 - 6.3 mm</b> <b>3 x 1 - 9.5 mm</b> <b>4 x 1 - 11.3 mm</b>

**KEL-DP 50|16 B gy**  
round



Part No.	<b>43564</b>	Mounting height	<b>5 mm</b>
EAN	<b>4251269310171</b>	External diameter	<b>60 mm</b>
Package quantity	<b>10</b>	Cut-out size, round	<b>50 mm</b>
For max. no. of cables	<b>16</b>	Cut-out size, metric	<b>M50</b>
Max. cable diameter	<b>11,3 mm</b>	For min. wall thickness	<b>2,8 mm</b>
Color	<b>gray (similar RAL 7035)</b>	For max. wall thickness	<b>4 mm</b>
Height	<b>12 mm</b>	Clamping range	<b>4 x 1 - 5.3 mm</b> <b>5 x 1 - 6.3 mm</b> <b>3 x 1 - 9.5 mm</b> <b>4 x 1 - 11.3 mm</b>


**KEL-DP 50|16 A bk  
round**



Part No. **50550**  
EAN **4251269314810**  
Package quantity **10**  
For max. no. of cables **16**  
Max. cable diameter **11,3 mm**  
Color **black**  
Height **12 mm**

Mounting height **5 mm**  
External diameter **60 mm**  
Cut-out size, round **50 mm**  
Cut-out size, metric **M50**  
For min. wall thickness **1,5 mm**  
For max. wall thickness **2,5 mm**  
Clamping range **4 x 1 - 5.3 mm**  
**5 x 1 - 6.3 mm**  
**3 x 1 - 9.5 mm**  
**4 x 1 - 11.3 mm**


**KEL-DP 50|16 B bk  
round**



Part No. **50564**  
EAN **4251269314902**  
Package quantity **10**  
For max. no. of cables **16**  
Max. cable diameter **11,3 mm**  
Color **black**  
Height **12 mm**

Mounting height **5 mm**  
External diameter **60 mm**  
Cut-out size, round **50 mm**  
Cut-out size, metric **M50**  
For min. wall thickness **2,8 mm**  
For max. wall thickness **4 mm**  
Clamping range **4 x 1 - 5.3 mm**  
**5 x 1 - 6.3 mm**  
**3 x 1 - 9.5 mm**  
**4 x 1 - 11.3 mm**


**KEL-DP 50|18 A gy  
round**



Part No. **43553**  
EAN **4251269310096**  
Package quantity **10**  
For max. no. of cables **18**  
Max. cable diameter **12 mm**  
Color **gray (similar RAL 7035)**  
Height **12 mm**

Mounting height **5 mm**  
External diameter **60 mm**  
Cut-out size, round **50 mm**  
Cut-out size, metric **M50**  
For min. wall thickness **1,5 mm**  
For max. wall thickness **2,5 mm**  
Clamping range **2 x 1 - 4 mm**  
**2 x 1 - 6 mm**  
**4 x 1 - 7.2 mm**  
**5 x 1 - 9.4 mm**  
**5 x 1 - 12 mm**


**KEL-DP 50|18 B gy  
round**



Part No. **43567**  
EAN **4251269310201**  
Package quantity **10**  
For max. no. of cables **18**  
Max. cable diameter **12 mm**  
Color **gray (similar RAL 7035)**  
Height **12 mm**


Mounting height **5 mm**  
External diameter **60 mm**  
Cut-out size, round **50 mm**  
Cut-out size, metric **M50**  
For min. wall thickness **2,8 mm**  
For max. wall thickness **4 mm**  
Clamping range **2 x 1 - 4 mm**  
**2 x 1 - 6 mm**  
**4 x 1 - 7.2 mm**  
**5 x 1 - 9.4 mm**  
**5 x 1 - 12 mm**

**KEL-DP 50|18 A bk  
round**



Part No. **50553**  
EAN **4251269314841**  
Package quantity **10**  
For max. no. of cables **18**  
Max. cable diameter **12 mm**  
Color **black**  
Height **12 mm**

Mounting height **5 mm**  
External diameter **60 mm**  
Cut-out size, round **50 mm**  
Cut-out size, metric **M50**  
For min. wall thickness **1,5 mm**  
For max. wall thickness **2,5 mm**  
Clamping range **2 x 1 - 4 mm**  
**2 x 1 - 6 mm**  
**4 x 1 - 7.2 mm**  
**5 x 1 - 9.4 mm**  
**5 x 1 - 12 mm**


**KEL-DP 50|18 B bk  
round**

Part No.  
EAN  
Package quantity  
For max. no. of cables  
Max. cable diameter  
Color  
Height

**50567**  
**4251269314926**  
**10**  
**18**  
**12 mm**  
**black**  
**12 mm**

Mounting height  
External diameter  
Cut-out size, round  
Cut-out size, metric  
For min. wall thickness  
For max. wall thickness  
Clamping range

**5 mm**  
**60 mm**  
**50 mm**  
**M50**  
**2,8 mm**  
**4 mm**  
**2 x 1 - 4 mm**  
**2 x 1 - 6 mm**  
**4 x 1 - 7.2 mm**  
**5 x 1 - 9.4 mm**  
**5 x 1 - 12 mm**


**KEL-DP 50|20 A gy  
round**

Part No.  
EAN  
Package quantity  
For max. no. of cables  
Max. cable diameter  
Color  
Height

**43552**  
**4251269310089**  
**10**  
**20**  
**9,3 mm**  
**gray (similar RAL 7035)**  
**12 mm**

Mounting height  
External diameter  
Cut-out size, round  
Cut-out size, metric  
For min. wall thickness  
For max. wall thickness  
Clamping range

**5 mm**  
**60 mm**  
**50 mm**  
**M50**  
**1,5 mm**  
**2,5 mm**  
**16 x 1 - 6.3 mm**  
**4 x 1 - 9.3 mm**


**KEL-DP 50|20 B gy  
round**

Part No.  
EAN  
Package quantity  
For max. no. of cables  
Max. cable diameter  
Color  
Height

**43566**  
**4251269310195**  
**10**  
**20**  
**9,3 mm**  
**gray (similar RAL 7035)**  
**12 mm**

Mounting height  
External diameter  
Cut-out size, round  
Cut-out size, metric  
For min. wall thickness  
For max. wall thickness  
Clamping range

**5 mm**  
**60 mm**  
**50 mm**  
**M50**  
**2,8 mm**  
**4 mm**  
**16 x 1 - 6.3 mm**  
**4 x 1 - 9.3 mm**


**KEL-DP 50|20 A bk  
round**

Part No.  
EAN  
Package quantity  
For max. no. of cables  
Max. cable diameter  
Color  
Height

**50552**  
**4251269314834**  
**10**  
**20**  
**9,3 mm**  
**black**  
**12 mm**

Mounting height  
External diameter  
Cut-out size, round  
Cut-out size, metric  
For min. wall thickness  
For max. wall thickness  
Clamping range

**5 mm**  
**60 mm**  
**50 mm**  
**M50**  
**1,5 mm**  
**2,5 mm**  
**16 x 1 - 6.3 mm**  
**4 x 1 - 9.3 mm**


**KEL-DP 50|20 B bk  
round**

Part No.  
EAN  
Package quantity  
For max. no. of cables  
Max. cable diameter  
Color  
Height

**50566**  
**4251269314919**  
**10**  
**20**  
**9,3 mm**  
**black**  
**12 mm**

Mounting height  
External diameter  
Cut-out size, round  
Cut-out size, metric  
For min. wall thickness  
For max. wall thickness  
Clamping range

**5 mm**  
**60 mm**  
**50 mm**  
**M50**  
**2,8 mm**  
**4 mm**  
**16 x 1 - 6.3 mm**  
**4 x 1 - 9.3 mm**


**KEL-DP 50|35 A gy  
round**

Part No.  
EAN  
Package quantity  
For max. no. of cables  
Max. cable diameter  
Color  
Height

**43556**  
**4251269310126**  
**10**  
**35**  
**5,2 mm**  
**gray (similar RAL 7035)**  
**12 mm**


Mounting height  
External diameter  
Cut-out size, round  
Cut-out size, metric  
For min. wall thickness  
For max. wall thickness  
Clamping range

**5 mm**  
**60 mm**  
**50 mm**  
**M50**  
**1,5 mm**  
**2,5 mm**  
**35 x 1 - 5.2 mm**

**KEL-DP 50|35 B gy  
round**


Part No. **43570**  
 EAN **4251269310232**  
 Package quantity **10**  
 For max. no. of cables **35**  
 Max. cable diameter **5,2 mm**  
 Color **gray (similar RAL 7035)**  
 Height **12 mm**

Mounting height **5 mm**  
 External diameter **60 mm**  
 Cut-out size, round **50 mm**  
 Cut-out size, metric **M50**  
 For min. wall thickness **2,8 mm**  
 For max. wall thickness **4 mm**

**KEL-DP 50|35 A bk  
round**

Part No. **50556**  
 EAN **4251269314872**  
 Package quantity **10**  
 For max. no. of cables **35**  
 Max. cable diameter **5,2 mm**  
 Color **black**  
 Height **12 mm**

Mounting height **5 mm**  
 External diameter **60 mm**  
 Cut-out size, round **50 mm**  
 Cut-out size, metric **M50**  
 For min. wall thickness **1,5 mm**  
 For max. wall thickness **2,5 mm**  
 Clamping range **35 x 1 - 5.2 mm**

**KEL-DP 50|35 B bk  
round**

Part No. **50570**  
 EAN **4251269314957**  
 Package quantity **10**  
 For max. no. of cables **35**  
 Max. cable diameter **5,2 mm**  
 Color **black**  
 Height **12 mm**

Mounting height **5 mm**  
 External diameter **60 mm**  
 Cut-out size, round **50 mm**  
 Cut-out size, metric **M50**  
 For min. wall thickness **2,8 mm**  
 For max. wall thickness **4 mm**  
 Clamping range **35 x 1 - 5.2 mm**