


KT CR multi | KT CR special | Multi-hole / special cable grommets

for the use in cleanrooms, 1 - 8 mm / IP54 / UL Type 12



Cable grommets KT CR multi are used with the following cleanroom cable entry components:

- [KEL-U CR cable entry frames](#)

KT CR multi-hole and special grommets enable a sealing of the cables with IP54 and UL Type 12.

When using double or quadruple grommets the cable density of cleanroom cable entry frames can be greatly increased. The multi-hole model range KT CR small is designed for cable diameters from 1 to 8 mm. ATG CR adapter grommets provide the possibility to hold a small KT CR grommet to reduce the clamping range down to 1 mm.

When installing the small grommets in multiple rows, the flat sides should be facing each other. This allows the flat sides to match up and provide a secure seal.

The products with article ending .600 are tested and certified for particle emission for cleanroom class 1 according to ISO 14644-1. The materials used for these products have been tested and certified for outgassing according to VOC/SVOC (ISO 14644-8; ISO 16000-6,-9,-11,-25, VDI 2083 sheet 17).

The products with the article ending .601 are tested and certified for particle emission for cleanroom class 1 according to ISO 14644-1.



Specifications


| | |
|------------------------------|-----------------------------|
| IP rating (EN 60529) | IP54 |
| UL Type (UL 50E) | UL Type 12 |
| Material | Elastomer |
| Flame class | UL94-V0, self-extinguishing |
| Operating temperature | -40 C° to 100 C° |
| Properties | silicone free, halogen free |

Advantages & Benefits

- Enable routing of pre-terminated cables through cable entry frames and split cable glands
- Available for a large range of cable diameters
- Greatly increased cable density when using double or quadruple grommets


Product Types & Sizes

KT 2|1 CR gy




| | | | |
|------------------------|--------------------------------|-----------------|---------------------|
| Part No. | 39942.601 | Height | 19 mm |
| EAN | 4251269326684 | Mounting height | 2 mm |
| Package quantity | 10 | For cable type | Round cable |
| For max. no. of cables | 2 | Clamping range | 2 x 1 - 1 mm |
| Color | gray (similar RAL 7035) | | |
| Length | 21 mm | | |
| Width | 21 mm | | |

KT 2|1 CR (S)VOC gy




| | | | |
|------------------------|--------------------------------|-----------------|---------------------|
| Part No. | 39942.600 | Height | 19 mm |
| EAN | 4251269326554 | Mounting height | 2 mm |
| Package quantity | 10 | For cable type | Round cable |
| For max. no. of cables | 2 | Clamping range | 2 x 1 - 1 mm |
| Color | gray (similar RAL 7035) | | |
| Length | 21 mm | | |
| Width | 21 mm | | |

KT 2|2 CR gy


Part No. **39935.601**
 EAN **4251269326653**
 Package quantity **10**
 For max. no. of cables **2**
 Color **gray (similar RAL 7035)**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Round cable**
 Clamping range **2 x 2 - 2 mm**

KT 2|2 CR (S)VOC gy


Part No. **39935.600**
 EAN **4251269326523**
 Package quantity **10**
 For max. no. of cables **2**
 Color **gray (similar RAL 7035)**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Round cable**
 Clamping range **2 x 2 - 2 mm**

KT 2|3 CR gy


Part No. **39939.601**
 EAN **4251269326677**
 Package quantity **10**
 For max. no. of cables **2**
 Color **gray (similar RAL 7035)**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Round cable**
 Clamping range **2 x 3 - 3 mm**

KT 2|3 CR (S)VOC gy


Part No. **39939.600**
 EAN **4251269326547**
 Package quantity **10**
 For max. no. of cables **2**
 Color **gray (similar RAL 7035)**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Round cable**
 Clamping range **2 x 3 - 3 mm**

KT 2|4 CR gy


Part No. **39906.601**
 EAN **4251269326592**
 Package quantity **10**
 For max. no. of cables **2**
 Color **gray (similar RAL 7035)**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Round cable**
 Clamping range **2 x 4 - 4 mm**

KT 2|4 CR (S)VOC gy


Part No. **39906.600**
 EAN **4251269326462**
 Package quantity **10**
 For max. no. of cables **2**
 Color **gray (similar RAL 7035)**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Round cable**
 Clamping range **2 x 4 - 4 mm**

KT 2|5 CR gy


Part No. **41200.601**
 EAN **4251269326691**
 Package quantity **10**
 For max. no. of cables **2**
 Color **gray (similar RAL 7035)**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Round cable**
 Clamping range **2 x 5 - 5 mm**

KT 2|5 CR (S)VOC gy


Part No. **41200.600**
 EAN **4251269326561**
 Package quantity **10**
 For max. no. of cables **2**
 Color **gray (similar RAL 7035)**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Round cable**
 Clamping range **2 x 5 - 5 mm**

KT 2|6 CR gy


Part No. **41201.601**
 EAN **4251269326707**
 Package quantity **10**
 For max. no. of cables **2**
 Color **gray (similar RAL 7035)**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Round cable**
 Clamping range **2 x 6 - 6 mm**

KT 2|6 CR (S)VOC gy


Part No. **41201.600**
 EAN **4251269326578**
 Package quantity **10**
 For max. no. of cables **2**
 Color **gray (similar RAL 7035)**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Round cable**
 Clamping range **2 x 6 - 6 mm**

KT 2|7 CR gy


Part No. **41202.601**
 EAN **4251269326714**
 Package quantity **10**
 For max. no. of cables **2**
 Color **gray (similar RAL 7035)**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Round cable**
 Clamping range **2 x 7 - 7 mm**

KT 2|7 CR (S)VOC gy

Part No. **41202.600**
 EAN **4251269326585**
 Package quantity **10**
 For max. no. of cables **2**
 Color **gray (similar RAL 7035)**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Round cable**
 Clamping range **2 x 7 - 7 mm**


KT 2|8 CR gy

Part No.
EAN
Package quantity
For max. no. of cables
Color
Length
Width

39917.601
4251269326639
10
2
gray (similar RAL 7035)
21 mm
21 mm

Height
Mounting height
For cable type
Clamping range

19 mm
2 mm
Round cable
2 x 8 - 8 mm


KT 2|8 CR (S)VOC gy

Part No.
EAN
Package quantity
For max. no. of cables
Color
Length
Width

39917.600
4251269326509
10
2
gray (similar RAL 7035)
21 mm
21 mm

Height
Mounting height
For cable type
Clamping range

19 mm
2 mm
Round cable
2 x 8 - 8 mm


KT 4|2 CR gy

Part No.
EAN
Package quantity
For max. no. of cables
Color
Length
Width

39937.601
4251269326660
10
4
gray (similar RAL 7035)
21 mm
21 mm

Height
Mounting height
For cable type
Clamping range

19 mm
2 mm
Round cable
4 x 2 - 2 mm


KT 4|2 CR (S)VOC gy

Part No.
EAN
Package quantity
For max. no. of cables
Color
Length
Width

39937.600
4251269326530
10
4
gray (similar RAL 7035)
21 mm
21 mm

Height
Mounting height
For cable type
Clamping range

19 mm
2 mm
Round cable
4 x 2 - 2 mm


KT 4|3 CR gy

Part No.
EAN
Package quantity
For max. no. of cables
Color
Length
Width

39914.601
4251269326622
10
4
gray (similar RAL 7035)
21 mm
21 mm

Height
Mounting height
For cable type
Clamping range

19 mm
2 mm
Round cable
4 x 3 - 3 mm


KT 4|3 CR (S)VOC gy

Part No.
EAN
Package quantity
For max. no. of cables
Color
Length
Width

39914.600
4251269326493
10
4
gray (similar RAL 7035)
21 mm
21 mm


Height
Mounting height
For cable type
Clamping range

19 mm
2 mm
Round cable
4 x 3 - 3 mm

KT 4|4 CR gy


Part No. **39909.601**
 EAN **4251269326615**
 Package quantity **10**
 For max. no. of cables **4**
 Color **gray (similar RAL 7035)**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Round cable**
 Clamping range **4 x 4 - 4 mm**

KT 4|4 CR (S)VOC gy


Part No. **39909.600**
 EAN **4251269326486**
 Package quantity **10**
 For max. no. of cables **4**
 Color **gray (similar RAL 7035)**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Round cable**
 Clamping range **4 x 4 - 4 mm**

KT 4|5 CR gy


Part No. **39908.601**
 EAN **4251269326608**
 Package quantity **10**
 For max. no. of cables **4**
 Color **gray (similar RAL 7035)**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Round cable**
 Clamping range **4 x 5 - 5 mm**

KT 4|5 CR (S)VOC gy


Part No. **39908.600**
 EAN **4251269326479**
 Package quantity **10**
 For max. no. of cables **4**
 Color **gray (similar RAL 7035)**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Round cable**
 Clamping range **4 x 5 - 5 mm**

KT 4|6 CR gy


Part No. **39932.601**
 EAN **4251269326646**
 Package quantity **10**
 For max. no. of cables **4**
 Color **gray (similar RAL 7035)**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Round cable**
 Clamping range **4 x 6 - 6 mm**

KT 4|6 CR (S)VOC gy


Part No. **39932.600**
 EAN **4251269326516**
 Package quantity **10**
 For max. no. of cables **4**
 Color **gray (similar RAL 7035)**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Round cable**
 Clamping range **4 x 6 - 6 mm**

KTs 16 CR gy


Part No. **39901.601**
 EAN **4251269326295**
 Package quantity **10**
 For max. no. of cables **1**
 Color **gray (similar RAL 7035)**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Round cable**
 Clamping range **1 x 16 - 16 mm**

KTs 16 CR (S)VOC gy


Part No. **39901.600**
 EAN **4251269326172**
 Package quantity **10**
 For max. no. of cables **1**
 Color **gray (similar RAL 7035)**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Round cable**
 Clamping range **1 x 16 - 16 mm**

KTs 17 CR gy


Part No. **39900.601**
 EAN **4251269326288**
 Package quantity **10**
 For max. no. of cables **1**
 Color **gray (similar RAL 7035)**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Round cable**
 Clamping range **1 x 17 - 17 mm**

KTs 17 CR (S)VOC gy


Part No. **39900.600**
 EAN **4251269326165**
 Package quantity **10**
 For max. no. of cables **1**
 Color **gray (similar RAL 7035)**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Round cable**
 Clamping range **1 x 17 - 17 mm**

ATG CR gy

Part No. **41253.601**
 EAN **4251269327131**
 Package quantity **10**
 For max. no. of cables **1**
 Color **gray (similar RAL 7035)**
 Length **41,5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**

ATG CR (S)VOC gy

Part No. **41253.600**
 EAN **4251269326929**
 Package quantity **10**
 For max. no. of cables **1**
 Color **gray (similar RAL 7035)**
 Length **41,5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**

