

# KEL-ER CR

IP66 / IP66 / UL Type 12/4X\*



IP65 / IP66/ UL type 4X\* ... 1 ~ 16mm (KT CR 1 ~ 35mm) ...

KEL-ER CR ... 10,16,24-Pin ... 36mm ... 46mm | ER-B CR ... 46 x 46mm

... KET-ER-E CR ...  
 ... (gasket) ...  
 ...  
 ... .600 ... ISO14644-1 ... 1 ... 14644-8; ISO 16000-6,-9,-11,-25, VDI 2083 sheet 17) ...  
 ... .601 ... ISO14644-1 ... 1 ...


\*4X


## Color Coding


- ...
- ...
- ...
- EN 62444 ...
- ...
- ...

IP (EN 60529)	IP54, IP55, IP64, IP65, IP66
UL Type (UL 50E)	UL Type 12, UL Type 4X*
	UL94-V0, ...
	-40 C° to 140 C°
	UV, ... (V2A), ...
...	...
...	17 mm

## Dimensions

<b>KEL-ER 24 10 CR</b>	<b>48241.601</b>	<b>17 mm</b>
	<b>4251269325892</b>	<b>17 mm</b>
EAN	5	<b>112 x 36 mm</b>
	<b>10</b>	<b>4</b>
	<b>16 mm</b>	<b>5,8 mm</b>
	<b>147 mm</b>	...
	<b>58 mm</b>	<b>10 x KT</b>

<b>KEL-ER 24 10 CR (S)VOC</b>	<b>48241.600</b>	<b>17 mm</b>
	<b>4251269325755</b>	<b>17 mm</b>
EAN	5	<b>112 x 36 mm</b>
	<b>10</b>	<b>4</b>
	<b>16 mm</b>	<b>5,8 mm</b>
	<b>147 mm</b>	...
	<b>58 mm</b>	<b>10 x KT</b>

**KEL-ER 24|7 CR**


EAN

□□□ □  
□□ □□□ □□

**48247.601**  
**4251269325915**  
**5**  
**7**  
**35 mm**  
**147 mm**  
**58 mm**

□□ □□  
□□ □□□  
□□ □ □  
□□□ □□  
□□□ □□  
□□□□ □□

**17 mm**  
**17 mm**  
**112 × 36 mm**  
**4**  
**5,8 mm**  
□□□□ □  
**6 x KT □□**  
**1 x KT □**

**KEL-ER 24|7 CR (S)VOC**


EAN

□□□ □  
□□ □□□ □□

**48247.600**  
**4251269325779**  
**5**  
**7**  
**35 mm**  
**147 mm**  
**58 mm**

□□ □□  
□□ □□□  
□□ □ □  
□□□ □□  
□□□ □□  
□□□□ □□

**17 mm**  
**17 mm**  
**112 × 36 mm**  
**4**  
**5,8 mm**  
□□□□ □  
**6 x KT □□**  
**1 x KT □**

**KEL-ER 24|4 CR**


EAN

□□□ □  
□□ □□□ □□

**48244.601**  
**4251269325908**  
**5**  
**4**  
**35 mm**  
**147 mm**  
**58 mm**

□□ □□  
□□ □□□  
□□ □ □  
□□□ □□  
□□□ □□  
□□□□ □□

**17 mm**  
**17 mm**  
**112 × 36 mm**  
**4**  
**5,8 mm**  
□□□□ □  
**2 x KT □□**  
**2 x KT □**

**KEL-ER 24|4 CR (S)VOC**


EAN

□□□ □  
□□ □□□ □□

**48244.600**  
**4251269325762**  
**5**  
**4**  
**35 mm**  
**147 mm**  
**58 mm**

□□ □□  
□□ □□□  
□□ □ □  
□□□ □□  
□□□ □□  
□□□□ □□

**17 mm**  
**17 mm**  
**112 × 36 mm**  
**4**  
**5,8 mm**  
□□□□ □  
**2 x KT □□**  
**2 x KT □**

**KEL-ER 16|8 CR**


EAN

□□□ □  
□□ □□□ □□

**48168.601**  
**4251269325847**  
**5**  
**8**  
**16 mm**  
**120 mm**  
**58 mm**

□□ □□  
□□ □□□  
□□ □ □  
□□□ □□  
□□□ □□  
□□□□ □□

**17 mm**  
**17 mm**  
**86 × 36 mm**  
**4**  
**5,8 mm**  
□□□□ □  
**8 x KT □□**

**KEL-ER 16|8 CR (S)VOC**


EAN

□□□ □  
□□ □□□ □□

**48168.600**  
**4251269325700**  
**5**  
**8**  
**16 mm**  
**120 mm**  
**58 mm**

□□ □□  
□□ □□□  
□□ □ □  
□□□ □□  
□□□ □□  
□□□□ □□

**17 mm**  
**17 mm**  
**86 × 36 mm**  
**4**  
**5,8 mm**  
□□□□ □  
**8 x KT □□**

**KEL-ER 16|5 CR**


EAN

□□□ □  
□□ □□□ □□

**48165.601**  
**4251269325830**  
**5**  
**5**  
**35 mm**  
**120 mm**  
**58 mm**

□□ □□  
□□ □□□  
□□ □ □  
□□□ □□  
□□□ □□  
□□□□ □□

**17 mm**  
**17 mm**  
**86 × 36 mm**  
**4**  
**5,8 mm**  
□□□□ □  
**4 x KT □□**  
**1 x KT □**

**KEL-ER 16|5 CR (S)VOC**


EAN

□□□ □  
□□ □□□ □□

**48165.600**  
**4251269325694**  
**5**  
**5**  
**35 mm**  
**120 mm**  
**58 mm**

□□ □□  
□□ □□□  
□□ □ □  
□□□ □□  
□□□ □□  
□□□□ □□

**17 mm**  
**17 mm**  
**86 × 36 mm**  
**4**  
**5,8 mm**  
□□□□ □  
**4 x KT □□**  
**1 x KT □**

**KEL-ER 16|2 CR**


EAN

□□□ □  
□□ □□□ □□

**48162.601**  
**4251269325823**  
**5**  
**2**  
**35 mm**  
**120 mm**  
**58 mm**

□□ □□  
□□ □□□  
□□ □ □  
□□□ □□  
□□□ □□  
□□□□ □□

**17 mm**  
**17 mm**  
**86 × 36 mm**  
**4**  
**5,8 mm**  
□□□□ □  
**2 x KT □**

**KEL-ER 16|2 CR (S)VOC**


EAN

□□□ □  
□□ □□□ □□

**48162.600**  
**4251269325687**  
**5**  
**2**  
**35 mm**  
**120 mm**  
**58 mm**

□□ □□  
□□ □□□  
□□ □ □  
□□□ □□  
□□□ □□  
□□□□ □□

**17 mm**  
**17 mm**  
**86 × 36 mm**  
**4**  
**5,8 mm**  
□□□□ □  
**2 x KT □**

**KEL-ER 10|6 CR**


EAN

□□□ □  
□□ □□□ □□

**48216.601**  
**4251269325885**  
**5**  
**6**  
**16 mm**  
**98 mm**  
**58 mm**

□□ □□  
□□ □□□  
□□ □ □  
□□□ □□  
□□□ □□  
□□□□ □□

**17 mm**  
**17 mm**  
**65 × 36 mm**  
**4**  
**5,8 mm**  
□□□□ □  
**6 x KT □□**

**KEL-ER 10|6 CR (S)VOC**


EAN

□□□ □  
□□ □□□ □□

**48216.600**  
**4251269325748**  
**5**  
**6**  
**16 mm**  
**98 mm**  
**58 mm**

□□ □□  
□□ □□□  
□□ □ □  
□□□ □□  
□□□ □□  
□□□□ □□

**17 mm**  
**17 mm**  
**65 × 36 mm**  
**4**  
**5,8 mm**  
□□□□ □  
**6 x KT □□**

**KEL-ER 10|3 CR**


EAN

□□□ □  
□□ □□□ □□

**48212.601**  
**4251269325878**  
**5**  
**3**  
**35 mm**  
**98 mm**  
**58 mm**

□□ □□  
□□ □□□  
□□ □ □  
□□□ □□  
□□□ □□  
□□□□ □□

**17 mm**  
**17 mm**  
**65 × 36 mm**  
**4**  
**5,8 mm**  
□□□□ □  
**2 x KT □□**  
**1 x KT □**

**KEL-ER 10|3 CR (S)VOC**


EAN

□□□ □  
□□ □□□ □□

**48212.600**  
**4251269325731**  
**5**  
**3**  
**35 mm**  
**98 mm**  
**58 mm**

□□ □□  
□□ □□□  
□□ □ □  
□□□ □□  
□□□ □□  
□□□□ □□

**17 mm**  
**17 mm**  
**65 × 36 mm**  
**4**  
**5,8 mm**  
□□□□ □  
**2 x KT □□**  
**1 x KT □**

**KEL-ER-B4 CR**


EAN

□□□ □  
□□ □□□ □□

**48204.601**  
**4251269325854**  
**5**  
**4**  
**16 mm**  
**73 mm**  
**58 mm**

□□ □□  
□□ □□□  
□□ □ □  
□□□ □□  
□□□ □□  
□□□□ □□

**17 mm**  
**17 mm**  
**46 × 46 mm**  
**4**  
**5,8 mm**  
□□□□ □  
**4 x KT □□**

**KEL-ER-B4 CR (S)VOC**


EAN

□□□ □  
□□ □□□ □□

**48204.600**  
**4251269325717**  
**5**  
**4**  
**16 mm**  
**73 mm**  
**58 mm**

□□ □□  
□□ □□□  
□□ □ □  
□□□ □□  
□□□ □□  
□□□□ □□

**17 mm**  
**17 mm**  
**46 × 46 mm**  
**4**  
**5,8 mm**  
□□□□ □  
**4 x KT □□**

**KEL-ER-B1 CR**


EAN

□□□ □  
□□ □□□ □□

**48206.601**  
**4251269325861**  
**5**  
**1**  
**35 mm**  
**73 mm**  
**58 mm**

□□ □□  
□□ □□□  
□□ □ □  
□□□ □□  
□□□ □□  
□□□□ □□

**17 mm**  
**17 mm**  
**46 × 46 mm**  
**4**  
**5,8 mm**  
□□□□ □  
**1 x KT □**

**KEL-ER-B1 CR (S)VOC**


EAN

□□□ □  
□□ □□□ □□

**48206.600**  
**4251269325724**  
**5**  
**1**  
**35 mm**  
**73 mm**  
**58 mm**

□□ □□  
□□ □□□  
□□ □ □  
□□□ □□  
□□□ □□  
□□□□ □□

**17 mm**  
**17 mm**  
**46 × 46 mm**  
**4**  
**5,8 mm**  
□□□□ □  
**1 x KT □**

**KEL-ER-E5 CR**


EAN

□□□ □  
□□ □□□ □□

**48250.601**  
**4251269325939**  
**5**  
**5**  
**16 mm**  
**147 mm**  
**39 mm**

□□ □□  
□□ □□□  
□□ □ □  
□□□ □□  
□□□ □□  
□□□□ □□

**17 mm**  
**17 mm**  
**112 × 24 mm**  
**2**  
**5,8 mm**  
□□□□ □  
**5 x KT □□**

**KEL-ER-E5 CR (S)VOC**


EAN

□□□ □  
□□ □□□ □□

**48250.600**  
**4251269325793**  
**5**  
**5**  
**16 mm**  
**147 mm**  
**39 mm**

□□ □□  
□□ □□□  
□□ □ □  
□□□ □□  
□□□ □□  
□□□□ □□

**17 mm**  
**17 mm**  
**112 × 24 mm**  
**2**  
**5,8 mm**  
□□□□ □  
**5 x KT □□**

**KEL-ER-E4 CR**


EAN

□□□ □  
□□ □□□ □□

**48259.601**  
**4251269325953**  
**5**  
**4**  
**16 mm**  
**120 mm**  
**39 mm**

□□ □□  
□□ □□□  
□□ □ □  
□□□ □□  
□□□ □□  
□□□□ □□

**17 mm**  
**17 mm**  
**86 × 24 mm**  
**2**  
**5,8 mm**  
□□□□ □  
**4 x KT □□**

**KEL-ER-E4 CR (S)VOC**


EAN

□□□ □  
□□ □□□ □□

**48259.600**  
**4251269325816**  
**5**  
**4**  
**16 mm**  
**120 mm**  
**39 mm**

□□ □□  
□□ □□□  
□□ □ □  
□□□ □□  
□□□ □□  
□□□□ □□

**17 mm**  
**17 mm**  
**86 × 24 mm**  
**2**  
**5,8 mm**  
□□□□ □  
**4 x KT □□**

**KEL-ER-E3 CR**


EAN

□□□ □  
□□ □□□ □□

**48258.601**  
**4251269325946**  
**5**  
**3**  
**16 mm**  
**98 mm**  
**39 mm**

□□ □□  
□□ □□□  
□□ □ □  
□□□ □□  
□□□ □□  
□□□□ □□

**17 mm**  
**17 mm**  
**65 × 24 mm**  
**2**  
**5,8 mm**  
□□□□ □  
**3 x KT □□**

**KEL-ER-E3 CR (S)VOC**


EAN

□□□ □  
□□ □□□ □□

**48258.600**  
**4251269325809**  
**5**  
**3**  
**16 mm**  
**98 mm**  
**39 mm**

□□ □□  
□□ □ □  
□□□ □□  
□□□ □□  
□□□□ □□

**17 mm**  
**17 mm**  
**2**  
**5,8 mm**  
□□□□ □  
**3 x KT □□**

**KEL-ER-E2 CR**


EAN

□□□ □  
□□ □□□ □□

**48249.601**  
**4251269325922**  
**5**  
**2**  
**16 mm**  
**73 mm**  
**39 mm**

□□ □□  
□□ □□□  
□□ □ □  
□□□ □□  
□□□ □□  
□□□□ □□

**17 mm**  
**17 mm**  
**43 × 24 mm**  
**2**  
**5,8 mm**  
□□□□ □  
**2 x KT □□**

**KEL-ER-E2 CR (S)VOC**

EAN

□□□ □  
□□ □□□ □□

**48249.600**  
**4251269325786**  
**5**  
**2**  
**16 mm**  
**73 mm**  
**39 mm**

□□ □□  
□□ □□□  
□□ □ □  
□□□ □□  
□□□ □□  
□□□□ □□

**17 mm**  
**17 mm**  
**43 × 24 mm**  
**2**  
**5,8 mm**  
□□□□ □  
**2 x KT □□**