

KDR-VX25 | □□□ □□□□

Rittal VX25 □□□□□ / IP54



KDR-VX25 □□□□ □□□□ □□□□ **KEL-U / KEL-FA / KEL-QUICK / KEL-JUMBO** □□□ □□ □□□□ □□□□ □□ □□□□ □□□□.

KEL □□□ □□□ □□ □□□□ **BPM / BPK** □□□□□□□□□□ □□□.

KDR-VX25 □□□ □□□□□ Rittal VX25 □□□□□□□□ □□. □□ □ □□ □□□ □□ □□.

IP54

HL3
EN 45545-2

RoHS
compliant

REACH
COMPLIANCE

Made in
Germany

IP □□□□ (EN 60529)

IP54

□□□ □□□□:□

UL94-V0, □□□□□

□□□ □□, □□□□□

□□ □□

□□ □□

□□ □ □□

- KEL-U / KEL-FA / KEL-QUICK / KEL-JUMBO □□□ □□
- □□□ KDR-EMC-PFM □□
- □□ □□□□ □□ □□□ □□□ □□ □□
- □□□□ □ □□□ □□
- □□ □□□ □□□
- □□□ □□ □□ □□□
- □□□ □□ □□ □□□
- □□ □ □□□□ □□ □□□ □ □□

□□ □□ □ □□

EAN

44300

□□□□ □□

600 mm

4251269336

□□ □□□ □□

452 mm

430

□□ :

2 × KEL-U 24

1

/ KEL-FA 24 /

488 mm

KEL-QUICK

100 mm


24


12 mm

□□□□□ □□

Rittal VX25

488 mm





EAN

44301

□□□□ □□

600 mm

4251269336

□□ □□□ □□

452 mm

447

□□ :

1 × KEL-

1

JUMBO 2 | 1

488 mm

× KEL-U 24 /

120 mm

KEL-FA 24 /

12 mm


KEL-QUICK

488 mm

24

□□□□□ □□

Rittal VX25



EAN

44302

□□□□ □□

600 mm

4251269336

□□ □□□ □□

452 mm

454

□□ :

1 × KEL-

1

JUMBO 1 | 2

488 mm

× KEL-U 24 /

120 mm

KEL-FA 24 /

12 mm

KEL-QUICK


488 mm

24


□□□□□ □□


Rittal VX25

	44303	□□□□ □□	800 mm
EAN	4251269336	□□ □□□ □□	652 mm
	461	□□ :	4 × KEL-U 24
	1		/ KEL-FA 24 /
	688 mm		KEL-QUICK
	100 mm		24
	12 mm	□□□□□ □□	Rittal VX25
	688 mm		




	44304	□□□□ □□	800 mm
EAN	4251269336	□□ □□□ □□	652 mm
	478	□□ :	1 × KEL-
	1		JUMBO 1 3
	688 mm		× KEL-U 24 /
	120 mm		KEL-FA 24 /
	12 mm		KEL-QUICK
	688 mm	□□□□□ □□	24
			Rittal VX25






EAN	44305	□□□□ □□	800 mm
	4251269336	□□ □□□ □□	652 mm
	485	□□ :	1 × KEL-
	1		JUMBO 2 2
	688 mm		× KEL-U 24 /
	120 mm		KEL-FA 24 /
	12 mm		KEL-QUICK
	688 mm	□□□□□ □□	24
			Rittal VX25





EAN	44306	□□□□ □□	1.000 mm
	4251269336	□□ □□□ □□	402 mm
	492	□□ :	2 × KEL-U 24
	1		/ KEL-FA 24 /
	438 mm		KEL-QUICK
	100 mm		24
	12 mm		Rittal VX25
	438 mm	□□□□□ □□	

EAN	44307	□□□□ □□	1.000 mm
	4251269336	□□ □□□ □□	402 mm
	508		
	1	□□ :	1 × KEL-
	438 mm		JUMBO 1 1
	120 mm		× KEL-U 24 /
12 mm		KEL-FA 24 /	
438 mm		KEL-QUICK	
			24
		□□□□□ □□	Rittal VX25




EAN	44308	□□□□ □□	1.000 mm
	4251269336	□□ □□□ □□	402 mm
	515		
	1	□□ :	1 × KEL-
	438 mm		JUMBO 2 1
	120 mm		× KEL-U 24 /
12 mm		KEL-FA 24 /	
438 mm		KEL-QUICK	
			24
		□□□□□ □□	Rittal VX25






EAN	44309	□□□□ □□	1.200 mm
	4251269336	□□ □□□ □□	502 mm
	522	□□ :	3 × KEL-U 24
	1		/ KEL-FA 24 /
	538 mm		KEL-QUICK
	100 mm		24
	12 mm	□□□□□ □□	Rittal VX25
	538 mm		



EAN	44310	□□□□ □□	1.200 mm
	4251269336	□□ □□□ □□	502 mm
	539	□□ :	1 × KEL-
	1		JUMBO 1 2
	538 mm		× KEL-U 24 /
	120 mm		KEL-FA 24 /
	12 mm		KEL-QUICK
	538 mm	□□□□□ □□	24
			Rittal VX25

EAN

44311	□□□□ □□	1.200 mm
4251269336	□□ □□□ □□	502 mm
546	□□ :	1 × KEL-
1		JUMBO 2 1
538 mm		× KEL-U 24 /
120 mm		KEL-FA 24 /
12 mm		KEL-QUICK
538 mm		24
	□□□□□ □□	Rittal VX25



icotek[®]
smart cable management